

DAFTAR PUSTAKA

- [1] A. Setyawan and A. Ulinuha, "Pembangkit Listrik Tenaga Surya Off Grid Untuk Supply Charge Station," *Transmisi*, vol. 24, no. 1, pp. 23–28, 2022, doi: 10.14710/transmisi.24.1.23-28.
- [2] P. G. Chamdareno, F. Azharuddin, and Budiyanto, "Sistem Monitoring Energi Listrik Sel Surya Secara Realtime dengan Sistem Scada," *Elektrum*, vol. 14, no. 2, pp. 35–42, 1979.
- [3] R. Rezky Ramadhana, M. M. Iqbal, A. Hafid, and J. Teknik Elektro, "Analisis Plts on Grid," *Vertex Elektro*, vol. 14, no. 1, pp. 12–25, 2022, [Online]. Available: <https://journal.unismuh.ac.id/index.php/vertex/article/view/9143>
- [4] A. G. Hutajulu, M. RT Siregar, and M. P. Pambudi, "Rancang Bangun Pembangkit Listrik Tenaga Surya (Plts) on Grid Di Ecopark Ancol," *TESLA J. Tek. Elektro*, vol. 22, no. 1, p. 23, 2020, doi: 10.24912/tesla.v22i1.7333.
- [5] M. Gumintang, M. Sofyan, and I. Sulaeman, "Design and Control of PV Hybrid System in Practice," *Dtsch. Gesellschaft für Int. Zusammenarbeit*, pp. 1–122, 2020, [Online]. Available: www.giz.de
- [6] M. Y. Puriza, W. Yandi, and A. Asmar, "Perbandingan Efisiensi Konversi Energi Panel Surya Tipe Polycrystalline dengan Panel Surya Monocrystalline Berbasis Arduino di Kota Pangkalpinang," *J. Ecotipe (Electronic, Control. Telecommun. Information, Power Eng., vol. 8, no. 1, pp. 47–52, 2021, doi: 10.33019/jurnalecotipe.v8i1.2034.*
- [7] S. Hamid, J. Jamaaluddin, D. H. R. Saputra, and A. Wisaksono, "Analysis of DC MCB Usage Characteristics for AC and DC Load Usage," *Procedia Eng. Life Sci.*, vol. 2, no. 2, pp. 3–8, 2022, doi: 10.21070/pels.v2i2.1243.
- [8] M. Septian, "Desain Sistem Proteksi Petir Internal Pada Pembangkit Listrik Tenaga Surya," *Energi & Kelistrikan*, vol. 2012, pp. 1–6.
- [9] P. Megantoro et al., "Analysis of instrumentation system for photovoltaic pyranometer used to measure solar irradiation level," *Bull.*

Electr. Eng. Informatics, vol. 11, no. 6, pp. 3239–3248, 2022, doi: 10.11591/eei.v11i6.4390.

[10] Z. Pilot and T. Co, “DIN Rail Single Phase Energy Meter Installation & Operation Manual V1 . 0 ZHUHAI PILOT TECHNOLOGY CO ., LTD .,” pp. 0–13.

[11] C. Ethernet and S. Servers, “Din Rail RS485 to Ethernet Converters | Compact Ethernet Serial Servers”.

[12] S. Rachman and Z. Ahyadi, “KOMUNIKASI ANTARMUKA PROGRAMABLE LOGIC CONTROLLER PADA MODBUS RTU SENSOR SUHU DAN KELEMBABAN UDARA,” vol. XI, no. 2, pp. 166–171, 2022, doi: 10.35508/jme.v0i0.8208.

[13] T. Elfin-ew and E. B. V Page, “Elfin-EW11A,” pp. 1–11.

[14] Irwan Sahli, Irwan Kristanto, and Tony Chandra Thali, “Perancangan RS 232 to RS 485 Converter Sistem Network Multidrop,” J. Tek. Elektro, vol. 1, no. 1, pp. 25–33, 2001, [Online]. Available: <http://puslit2.petra.ac.id/ejournal/index.php/elk/article/view/16396>

[15] Modbus - IDA, “Modbus Application Protocol Specification,” North Grafton, Massachusetts (www.modbus.org/specs.php), pp. 1–51, 2006, [Online]. Available: <http://www.modbus-ida.org>

[16] U. Ethernet, M. Tcp, U. T. T. Modbus, U. T. Modbus, U. T. T. Ethernet, and U. T. Ethernet, “MODBUS communication protocol”.

[17] A. Tiyono, “Membuat Model,” Sist. Telekontrol Scada Dengan Fungsi Dasar Modbus Menggunakan Mikrokontroler At89s51 Dan Komun. Ser. Rs485, vol. 1, no. 1, pp. 1–1, 2007.

[18] D. Nopandri Saputra et al., “Analisa Sensor Infrared pada Alat Sortir Otomatis Berdasarkan Tinggi dengan Sistem Kendali Software HMI Haiwell Scada Berbasis PLC Outseal,” Ijccs, vol. 16, no. x, pp. 31–35, 2022.

[19] M. Sahar, G. Tampubolon, and A. Gunawan, “Sistem Monitoring Lingkungan Pada Pembangkit Listrik Tenaga Surya Berbasis Singkatan dari Supervisory Control And Data Acquisition,” J. Karya Ilm.

Multidisiplin, vol. 2, no. 1, pp. 106–115, 2022, doi: 10.31849/jurkim.v2i1.9208.

[20] R. Hantoro et al., “Design and Implementation of Real-Time Monitoring System for Solar Power Plant in Surabaya, Indonesia,” E3S Web Conf., vol. 190, 2020, doi: 10.1051/e3sconf/202019000034.

[21] L. XIAMEN HAIWELL TECHNOLOGY CO., “IoT Cloud Box - CBOX,” china, 2022, pp. 1–4. [Online]. Available: website: www.haiwell.c