Plag@can	PRO Results of	plagiarism	analysis from	2019-04-23	11:16 WIB
----------	----------------	------------	---------------	------------	-----------

Hutabarat_Julianus_Green_Industrial_System_in_Indonesia.pdf

Paso	asarjana	Date:	2019-	04-23	11:13	WIB											
≭ Al	l source	es 100	😧 li	nterne	t sourc	es 2	5 🔺	Own de	ocuments	5 1	🛢 Plag	giarism	Prever	ntion P	ool 6 [.]	1	
	[6]	<pre>from 3.4%</pre>	n a Pla 30 ma	gScan atches	docur	nent	dated 2	2018-0	7-12 16:0	3							
	[7]	S from 3.1%	n a Pla 23 ma	gScan atches	docur	nento	dated 2	2018-09	9-13 07:2	9							
	[8]	<pre>from 2.7%</pre>	n a Pla 24 ma	gScan atches	docur	nento	dated 2	2018-00	6-11 12:2	:6							
	[9]	S from 2.9%	n a Pla 28 ma	gScan atches	docur	ment	dated 2	2017-09	9-28 06:2	3							
	[11]	https://doi.org/10.1000/000000000000000000000000000000	s://doo 19 ma	player atches	net/31	11917	71-Que	stions-	tibor-ka	arlovit	z.html						
	[12]	<pre>from 2.4%</pre>	n a Pla 20 ma	gScan atches	docur	nento	dated 2	2017-08	8-07 18:5	8							
	[13]	<pre>from 2.5%</pre>	n a Pla 26 ma	gScan atches	docur	nent	dated 2	2018-0	1-31 08:4	7							
	[14]	<pre>from 2.1%</pre>	n a Pla 17 ma	gScan atches	docur	nent	dated 2	2019-0	1-22 20:0	5							
	[15]	<pre>from 1.9%</pre>	n a Pla 17 ma	gScan atches	docur	ment	dated 2	2018-10	0-03 06:3	2							
	[16]	<pre>from 2.0%</pre>	n a Pla 16 ma	gScan atches	docur	nento	dated 2	2018-03	3-24 08:3	4							
	[17]	<pre>from 1.9%</pre>	n a Pla 14 ma	gScan atches	docur	nent	dated 2	2017-04	4-04 00:4	0							
	[18]	<pre>from 1.7%</pre>	n a Pla 16 ma	gScan atches	docur	nento	dated 2	2018-08	8-27 13:5	4							
	[19]	<pre>from 1.3%</pre>	n a Pla 12 ma	gScan atches	docur	nento	dated 2	2017-10	0-06 15:3	0							
	[20]	S from 1.6%	n a Pla 12 ma	gScan atches	docur	nento	dated 2	2017-09	9-28 06:2	1							
	[21]	<pre>from 1.4%</pre>	n a Pla 12 ma	gScan atches	docur	nento	dated 2	2018-00	6-20 14:1	2							
	[22]	<pre>from 1.4%</pre>	n a Pla 14 ma	gScan atches	docur	nent	dated 2	2016-10	0-28 11:5	6							
	[24]	<pre>from 1.2%</pre>	n a Pla 11 ma	gScan atches	docur	ment	dated 2	2019-0	1-22 20:0	5							
	[25]	e from 0.9%	n a Pla 10 ma	gScan atches	docur	nento	dated 2	2019-0	1-31 09:3	4							
	[26]	<pre>from 1.2%</pre>	n a Pla 10 ma	gScan atches	docur	nent	dated 2	2018-09	9-05 08:4	5							
	[27]	<pre>from 1.2%</pre>	n a Pla 13 ma	gScan atches	docur	nent	dated 2	2017-09	9-04 11:3	1							
	[28]	from	n a Pla	gScan	docur	nent	dated 2	2018-09	9-03 14:5	3							

12.0%

		1.0% 9 matches
	[29]	from a PlagScan document dated 2017-09-04 20:42 1.3% 12 matches
7	[30]	from a PlagScan document dated 2018-09-06 11:47 1.0% 9 matches
	[31]	 from a PlagScan document dated 2018-06-26 21:58 0.9% 7 matches 7 documents with identical matches
	[39]	from a PlagScan document dated 2018-03-21 08:36 1.0% 10 matches
	[40]	from a PlagScan document dated 2018-01-23 06:54 0.9% 12 matches
	[41]	from a PlagScan document dated 2018-04-04 15:46 0.8% 7 matches
	[42]	from a PlagScan document dated 2018-07-17 10:30 0.8% 10 matches
	[44]	 https://www.researchgate.net/profile/Chen=publication_detail 0.8% 9 matches
	[45]	https://www.researchgate.net/publications_in_the_Netherlands 0.6% 5 matches
	[46]	 https://www.colorado.gov/pacific/sites/dsis Report Draft.pdf 0.6% 9 matches
	[47]	https://www.researchgate.net/publicationOrganizational_Power 0.5% 8 matches
	[48]	from a PlagScan document dated 2017-07-26 04:34 0.5% 7 matches
	[49]	https://www.congress.gov/111/bills/hr4138/BILLS-111hr4138ih.xml 0.4% 6 matches
	[50]	https://www.researchgate.net/profile/Takuya_Noguchi3 0.5% 3 matches
	[51]	https://bravenewclimate.com/2015/11/08/t?like_comment=443805 0.3% 6 matches
	[52]	from a PlagScan document dated 2018-04-19 09:54 0.5% 6 matches
	[53]	from a PlagScan document dated 2018-12-06 05:56 0.6% 5 matches
	[54]	apem-journal.org/Archives/2011/APEM6-1_027-036.pdf 0.4% 5 matches
	[56]	from a PlagScan document dated 2018-06-18 17:45 0.3% 4 matches
	[57]	from a PlagScan document dated 2018-11-15 11:55 0.2% 3 matches
	[58]	from a PlagScan document dated 2018-04-30 01:50 0.1% 2 matches
	[60]	from a PlagScan document dated 2017-04-06 06:06 0.4% 3 matches

[62]	https://www.researchgate.net/publicatione_Students_in_Taiwan 0.3% 2 matches
[63]	from a PlagScan document dated 2019-01-25 17:09 0.2% 3 matches
[64]	from a PlagScan document dated 2018-07-23 08:31 0.4% 2 matches
[65]	from a PlagScan document dated 2018-04-23 11:23 0.3% 2 matches
[66]	from a PlagScan document dated 2017-04-03 22:02 0.2% 3 matches
[67]	https://ohsas-manual.blogspot.com/2014/0tive-action-and.html 0.3% 2 matches
[68]	"Wijayanintyas_Maranatha_PENGARUH_Mot; dated 2019-01-25 0.3% 2 matches
[69]	from a PlagScan document dated 2018-12-06 05:58 0.2% 1 matches
[70]	 from a PlagScan document dated 2018-05-04 14:09 0.1% 2 matches 1 documents with identical matches
[72]	from a PlagScan document dated 2017-04-05 06:57 0.3% 2 matches
[73]	from a PlagScan document dated 2018-10-17 19:45 0.2% 1 matches
[74]	 from a PlagScan document dated 2018-05-25 18:53 0.1% 2 matches 1 documents with identical matches
[76]	 from a PlagScan document dated 2018-05-25 07:22 0.1% 2 matches 2 documents with identical matches
[79]	 from a PlagScan document dated 2018-04-19 17:57 0.1% 2 matches 2 documents with identical matches
[82]	from a PlagScan document dated 2018-03-30 12:32 0.1% 2 matches
[83]	 https://exploredegrees.stanford.edu/schoienceandengineering/ 0.2% 2 matches
[84]	https://en.wikipedia.org/wiki/Quality_function_deployment 0.2% 2 matches
[85]	 https://exploredegrees.stanford.edu/schoceandengineering.pdf 0.2% 2 matches
[86]	https://www.qls.com.au/files/12e061b0-b8bility_Guideline.pdf 0.2% 1 matches
[87]	from a PlagScan document dated 2018-12-06 05:59 0.2% 1 matches
[88]	 from a PlagScan document dated 2018-07-05 06:42 0.1% 2 matches 1 documents with identical matches

Etram a DiagOcan decimant dated 0010 07 00 07:05

[90]	 e from a PlagScan document dated 2018-07-03 07:35 0.2% 1 matches
[91]	from a PlagScan document dated 2017-04-06 08:44 0.2% 1 matches
[92]	from a PlagScan document dated 2017-04-06 07:47 0.2% 1 matches
[93]	from a PlagScan document dated 2017-04-05 12:14 0.2% 1 matches
[94]	https://www.researchgate.net/profile/Ric08ae092e96652233.pdf 0.2% 2 matches
[95]	 https://vdocuments.site/green-products-570e83618b09e.html 0.2% 2 matches
[96]	https://www.researchgate.net/publicationrate_and_respiration 0.1% 2 matches
[97]	from a PlagScan document dated 2018-07-04 07:44 0.1% 2 matches
[98]	 from a PlagScan document dated 2017-10-24 13:51 0.2% 2 matches 1 documents with identical matches
[100]	 https://mafiadoc.com/designing-wildernes723dd221aa9e959.html 0.1% 2 matches
[101]	 https://en.wikipedia.org/wiki/ISO14001 0.2% 2 matches
[102]	from a PlagScan document dated 2018-12-06 06:30 0.1% 1 matches
[103]	from a PlagScan document dated 2018-05-04 22:59 0.1% 1 matches
[104]	 from a PlagScan document dated 2018-04-18 13:07 0.1% 1 matches 1 documents with identical matches
[106]	from a PlagScan document dated 2017-05-31 11:53 0.1% 1 matches
[107]	 https://muirwoodstradingcompany.com/think-green/ 1 matches
[108]	 https://www.sciencedirect.com/science/article/pii/S0956053X0700222X 1 matches
[109]	 https://www.sciencedirect.com/science/article/pii/S0959652612000339 1 matches
[110]	 https://whitesandstradingcompany.com/the-environment/ 0.2% 1 matches
[111]	 https://the9000store.com/iso-9000-tips-id-preventive-action/ 1 matches
[113]	from a PlagScan document dated 2018-10-09 09:14 0.1% 1 matches
[114]	from a PlagScan document dated 2018-08-02 11:03 0.1% 1 matches
[115]	from a PlagScan document dated 2018-07-31 10:47

Submission information

Last name: *Hutabarat* First name: *Julianus* Paper title: *Green Industrial System in Indonesia* File: *matecconf_icesti2018_01010.pdf*

7 pages, 3437 words

A very light text-color was detected that might conceal letters used to merge words.

PlagLevel: 12.0% selected / 88.4% overall

283 matches from 116 sources, of which 35 are online sources.

Settings

Data policy: Compare with web sources, Check against my documents in the organization repository, Check against organization repository, Check against the Plagiarism Prevention Pool

Sensitivity: *High* Bibliography: *Consider text* Citation detection: *Reduce PlagLevel* Whitelist: --

Green Industrial System in Indonesia

Fourry Handoko^{1,*},^a *Ellysa* Nursanti¹, Gatot¹, *Martinus* Edwin Tjahjadi², *Julianus* Hutabarat¹, *Lalu* Mulyadi³, and Kustamar⁴

¹Industrial Engineering Department, National Institute of Technology (ITN), Jl. Raya Karanglo Km. 2, Malang, 65145, Indonesia

²Geomatics Engineering Department, National Institute of Technology (ITN), Jl. Bendungan Sigura-gura No.2, Malang, 65145, Indonesia

³Architecture Engineering Department, National Institute of Technology (ITN), Jl. Bendungan Sigura-gura No.2, Malang, 65145, Indonesia

⁴Civil Engineering Department, National Institute of Technology (ITN), Jl. Bendungan Sigura-gura No.2, Malang, 65145, Indonesia

Abstract. The environmentally friendly manufacturing influences the worldwide community both private and public to run the concept of green productivity. The concept of green productivity drives the organisation to seek integration of sustainable environmental management and environmentally friendly production system design. The lack of green and sustainable concept have reduced the competitiveness of the organisation due to the low capability to meet the international standard of ISO 14000. One of the important thing of being 'green' is our capability to deal with the pollution. Continuous improvement approach to achieve green productivity is an effort to increase sustainable competitiveness by maintaining green product and reducing the pollution. The continuous improvement to achieve the capability to overcome the pollution problem will lead into tangible and intangible benefit. It is therefore the green productivity is crucial. This research, the concept of green productivity and continuous improvement approach are utilised to overcome the problems of pollution in manufacturing industries.

Key words: Continuous improvement, green industrial system, policy, production

1 Introduction

Numerous organisations worldwide have been involved in green environment programs. Regulation and ratification of environmentally friendly product have been constructed by both develop and developing countries [1]. The growing awareness of international communities about environmentally friendly product and also 'save our earth' jargon has been elevating the imperative of the pollution free environment programs [2, 3], since our environment has suffered from un-controlled and massive exploitation of natural resources; indecomposable waste; and environmental pollution, resulting significant damage such as environmental degradation, global warming and ozone hole [4, 5].

In response, the government, businesses and universities began to campaign for environmentally friendly and energy saving products approach $[2, 4, 6-10]^{[22]}$ his approach is imperative since the capability of the organisation to deal with the environmental issues have been considered as a mean to improve organisation's competitiveness in both regional and international business environment^[22] urthermore, the current international policies have been maintaining the issues of the environment friendly product through the international standard series of ISO 14000 certification and other eco-labelling programs [11–15]. The Indonesian government has also initiated programs of green environment in the form of cleaner production programs [14], but this program has not been well delivered to business owners in Indonesia^[11] his study was conducted to find the way of implementation green industrial system in manufacturing industries.

© The Authors, published by EDP Sciences. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (http://creativecommons.org/licenses/by/4.0/).

^{a*}Corresponding author: <u>fourry@lecturer.itn.ac.id</u>

2 Green productivity

The application of Green Productivity through non-product output (NPO) is the appropriate technique, technology, and management system to produce environmentally friendly products and services [16]. Green Productivity (GP) uses the concept of environmentally friendly production yet minimum energy without disturbing productivity or also known as green industry. This environmentally friendly and energy efficient approach influences the worldwide community both private and public. GP is a concept that involves management decision, environmental programs and technologies that lead to environmentally friendly product [1, 15-18]. The concept of green productivity drives the organisation to seek integration of sustainable environmental management and environmentally friendly production system design. Continuous improvement to achieve GP is an effort to increase sustainable competitiveness by maintaining green product and reducing the pollution [16].

2.1 GP as a competitive strategy

Organisations worldwide are under regulatory pressure to be eco-efficient [19]. Therefore, the competitive strategy trough continuous improvement is a must. GP approach should be applied to achieve the competitiveness goal. Validation regarding tools and techniques application of GP is a part of organisation's continuous improvement efforts to get green product. The responsibility of the GP taskforce is to provide tools and technologies for implementing 'green' programs, including reduce, reuse and recycle (3R)[18]; and also internal audit for green, and implementing continuous improvement program (Plan, Do, Check and Action) GP to achieve sustainable competitiveness, from product design up-to final product stage [8, 20]^[109]

3 Methodology

This study identified the factors that could interfere the GP, and provide suggestions for improvement based on the external and internal regulations such as ISO 14000 and government regulation. Cause and effect approach were applied to seek the gap between available process and the regulation, followed by Quality Function Deployment (QFD) approach to determine the improvement needed. However, in conducting the research, it was necessary to resolve several issues that potentially disturb the result of the research. These included: determine the research domain, level of analysis and selecting suitable respondents.

3.1 Research domain

The subject of the research was a chemical company in East Java, Indonesia. This domain was chosen based on its potential role in GP practices, especially in reducing pollution. This company significantly applied GP approach. As this organisation has a strong commitment in GP approach and also developed knowledge regarding environmentally friendly product, the organisation was deemed as appropriate subject of this study.

3.2 Level of analysis

The issue related to the level of analysis was the persons in the organisation who were directly selected as a respondent. Ideally, the questionnaires should be completed by number of people in each part of an organisation. This approach was applied to obtain the sufficient information from the organisations, and to minimise the response bias of the respondents [21-26]. In this survey, people who were selected to be respondents were the employees whom are responsible (incharge) for the GP program of the organisation.

3.108 Sample selection

For data sampling, more than 30 respondents were selected. The respondents were checked to ensure that respondents only belong to departments, which were responsible for GP program.

3.4 Research sequences

The research consists of four phases. The details are presented as follows:

Phase I: Assessment of instrument for green approach. This phase involved the preliminary studies; literature and regulations review. Reviewing includes the review on the Green Standard of ISO 14001, Decree No. 3 Year 2006 about 'Green Indonesia' and regulation of the Minister of Environment no. 18 year 2010 about program of companies rating performance (PROPER). The purpose of this phase was to collect information and data to construct the instruments that will be applied to assess GP based on the selected criteria of ISO 14000 clauses and government regulation. The instruments then were distributed to 33 respondents.

Clause	Audit Clause
4.2	Environmental policy
4.3.1	Identification of environmental aspects and impacts
4.3	Identification of legal regulations and other requirements
4.3.3	Objectives, targets and programs
4.4.1	Resources, roles, responsibility and authority
4.4.2	Training, awareness, competence
4.4.3	Communication
4.4.4	Documentation
4.4.5	Control of documents
4.4.6	Operational control; Purchasing; Handling, Storage, Packaging, Delivery; Environmental control
4.4.7	Preparing and emergency response
4.5[1p1	Monitoring and measurement
4.5.2	Evaluation of conformity
	Nonconformity, corrective action, and preventive
4.51	Corrective Action
	Precautions
4.5.4	Control of records
4.5.5	Internal environmental audits
4.6	Overview of management

Table 1. ISO 14001 clauses.

Sources: ISO 14000 Clauses

Phase II: Assessment⁷At this phase, the activity of the business process of the organisation and the information process associated with the activities of the GP were recorded.¹The area of production process control was selected to be a subject of this research.¹The area was chosen because this department has a significant role in controlling the pollutant.¹The assessment of the level of adoption of GP in that area was conducted based on the instruments of ISO 14001 clauses that have been constructed in the previous stage.¹The assessment phase aims to determine the remaining gap/problem between the application of GP and the ISO 14000 clauses.¹The assessment result, the current position of the GP application was analysed to find the main factors that produce the gap/problem.

Phase III: Identification of gap/problem^[7] his third phase was to review the main causes of the gap/problem between the implementation of GP and ISO 14000 clauses. The findings of the gap/problems were tabulated¹⁰ he cause and effect diagram then was applied to identify the root of the problems^[7] he brainstorming technique was utilise to analyse the problem based on 4M (Man Machine, Method dan material) approach^{[10} he main causes of the problem and then transformed into GP standard.

Phase IV: Strategy development^[7] the fourth phase aimed to provide alternative solutions regarding the causes of the problems of the gap^[18] ainstorming and Quality Function Deployment (QFD) were applied to obtain the proposed solution for the company improvement of GP^[16] FD is a tool to design and develop methods.

QFD is capable in diffusing the quality into a design^[3]. This study, new policies to improve GP were translated into a technical response^[4]. By QFD, The assessment results form previous phase were summarised into a house of quality matrix, containing the matrix relationship, technical correlation, and technical matrix^[1]. The 33 respondents were selected. ^[14] uestionnaires distribution was conducted carefully to meet the adequacy of the data, validity and reliability^[1]. The results of the questionnaires were utilised as attributes to assess whether GP standard in the organisation meets the ISO 14000 clauses or not^[6]. The results were also employed to determine the particular part of the GP application in production process that needs improvement^[4] to the organisation could develop the future strategy of GP.

MATEC Web of Conferences 164, 01010 (2018) ICESTI 2017





Fig. 1⁸ ouse of quality (HoO)¹

4 Results and discussion

Reliability and validity tests were conducted to verify the reliability and validity of the instruments.

4.1 Reliability and validity test

Before validity test, the test of the adequacy of the data was performed based on the formula [26]. If the specified confidence interval (CI) of 95 % the value of Z = 1.645. While the error of 5 %, $\sigma 2 = 0.891$ then the minimum number of samples needed are 32 respondents. The numbers of questionnaires distributed were 40, and the responses are up to 33 respondents¹⁸ Nevertheless, the number of respondents meets the minimum requirement (33 respondents 32 respondents)^{[1} statistical measurement was conducted to test the reliability and validity of the measurement instrument Pearson correlation and Cronbach's alpha coefficient were applied to measure the validity and reliability of the instrument²⁰ his approach was taken to ensure that the measurement instrument was capable of measuring what was intended to be measured.¹² br all items, Cronbach's alpha coefficient values were greater than the acceptable value of 0.6 [24-26], indicating that the items assigned to the constructs were reliable.

4.2 Assessment result based on the ISO 14000 clauses requirement

The target score of the assessment is between 155 and 165 that indicates a good score. The assessment results of the GP application based on the ISO 14000 requirement, the lowest score was 151 (Clause 4.4.6 (ISO 14000) operation control). The result indicates that the application of GP is still unacceptable.

The descriptions of operation control clauses are as follows:

Operational Control clause ISO 14000, question no. 45^[8] Does the company have a method to ensure the activities, services, or products that may have an impact on the environment has been adequately controlled?' (Score: 149). Question 45¹⁸ whether the procedure has been covering all the activities of the company, since the beginning of the raw material or other additional material up to the utilised of those raw material delivered from the company? (Score: 153). Based on the data evaluation using the assessment instruments it was discovered that the green productivity deficiencies

control is associated with ISO 14000 clause 4.4.6 about operation control question no^[24]5, especially in the treatment process^[17]

Based on the assessment results, 'the lack of method regarding to ISO 14000 clause 4.4.6 about operation control question no. 45', particularly regarding to waste treatment method/procedure, the evaluation to find the gap was conducted using cause and effect (Fishbone) diagram. The results of the identification of causes variables the failure of waste treatment using fishbone diagrams and brainstorming are presented as follows:

- (i) No suitable method
- (ii) No measurement standard
- (iii) No method improvement

(iv) Inappropriate waste treatment unit (WTU)

(v) Hazardous chemical for bacteria in WTU

Using fishbone diagrams and brainstorming technique, the causes variables were analysed to obtain the attribute of production operation control. The attributes were the representative of customer needs. There were 19 attributes. The attributes and then were translated into 19 technical responses (TRs) scheme and seek the problem solving to achieve GP strategies by using QFD.

The 19 attributes TRs were put into the planning matrix of HoQ^[4]The matrix of HoQ transformed the attributes into survey instruments that were distributed to get the respond from the respondents^[12]The respondents were asked to determine the priority for the future improvement from the available list of the attributes, based on Improvement ratio, interest level (Improvement ratio and interest level were obtained to determine the raw weight)^[4]The result shows that the highest weighted of technical response from the attributes are instrument 16 (Equipment to reduce odor), 17 (methods to prevent odor) and 18 (monitoring for water pollution).

Based on that result, the solution was implemented with PDCA method by simultaneously installing the new equipment and arranging the particular method to overcome the odor pollution. Further, the monitoring was conducted to guarantee that the problem solving is consistently conducted. The waste-processing unit to eliminate the cause of odor originating from ammonia by building the Stripping Ammonia unit PDCA is presented in Table 2.

Table 2. PDCA implementation.

Plan	Check	Action
Reduce Nitrogen with new equipment	Nitrogen content reduction ≤ 50 %	Optimisation
Do	Task force	
i.Splitting the waste with high loading ammoniai. Installation of ammonia Stripping	WWT and refinery	
Equipment ii. Splitting between Low ammonia and High	Engineering and Refinery	
ammonia in waste treatment installation	Refinery and WWT	

The principle of ammonia stripping is to drive the ammonia into the evaporated effluent and then be condensed. The result of the condensation can be utilised as elusion washing at the ionic separation stage of ammonia (using NH3 0.8 N)^[24] he (before and after) tests of the impact of Ammonia Stripping Installation were conducted^[21] the result is presented below.

Table 31 defore and after tests result

Parameter	Unit	Before	After
BOD (Biochemical Oxygen Demand)	uL L ⁻¹	77	75
COD (Chemical Oxygen Demand)	uL L ⁻¹	134	121
NH3 (ammonia)	uL L ⁻¹	298	105

The installation of the ammonia stripping has impacted significantly on the GP improvement. By Two samples t-test the P-value = 0.000 indicates significant (P 0.05 significant).

Table 4. Two-Sample t-test and CI.

Two-sample t-test for data AN							
Subject	N	Mean	SD	SE Mean			
1	19	299.7	48.6	11			
2	28	104.9	17.4	3.3			

Difference = mu (1) - mu (2), Estimate for difference: 194.79795 % CI for difference: (174.705; 214.889)t-test of difference = 0 t-value = 19.53; P-Value = 0.000; DF = 45Both use Pooled StDev = 33.5624

Name	Unit	Need	Price (USD)	(USD)/yr
Steam/h	t	6.1 15.94	851 769.	84
Electricity	Kw h	22 0.062 11	948.64	
Cooling water/h	kL	80	0.02	14 016
Investment/ fixed cost	USD	400.000 400	.000 452	000
Total investment				1 329 734.48
Ammonia recovery benefit/d	t	4.984 686	3 419 (024

Table 5. Investment cost and benefit.

Table 5 shows that the ammonia recovery also gives a significant financial benefit. The Break Event Point (BEP) of the investment is about 5 mo.

4.3 Continuous improvement

The learning process will sharp the capability to solve the problem [27-29].^[52] he capability improvement will ease the process of continuous improvement.^[24] ased on the direction of the QFD solution, the management, monitoring and treatment plant improvement to eliminate the problem were upgraded.^[6] The recommendation, as a result of the QFD to overcome the problems, was implemented^[22] fiter the implementation of treatment plant, the analysis to find the effect of before and after was conducted.^[9] The result was applied as a standard for upcoming improvements.^[17] The result shows a significant improvement, especially the decrease of up to 65 % of the pollutant.^[19]

5 Conclusion

This research was conducted through theoretical and empirical studies to review the variables and attributes that can be developed as a strategy to deal with the waste in department of production^[14] the application of continuous improvement is capable of locating, measuring, and overcoming the gaps/problems regarding green productivity application. This method delivers a comprehensive improvement in green-based production process application^[24] the finding shows that even the respondents' organisation has recognised the green-based production process particularly in production division, but there are still some gaps/problems that could be found^[34] these deficiencies regarding the GP can be overcome with the improvement of a strategy, tool, checking, monitoring and supervision to prevent pollution based on the recommendation that involve the employees that involve in that area^[17] the application of the continuous improvement leads the decrease of environment pollutants up to 65 % pollutant^[44] the ammonia recovery also gives a significant financial benefit. The Break Event Point (BEP) of the investment is about 5 months.

References

- 1. O. Boiral. Organ. Sci. 18:127-146 (2007). https://pubsonline.informstore.informstore.informstore.informstore.informstore.informstore.information.in
- 2. T.B. Chen, L.T. Chai^[1] Surnal of Management Science and Engineering, 4(2):27–39 (2010). http://cscanada.net/index.php/mse/article/view/j.mse.1913035X20100402.002
- 3. J. Dedrick^[7] communications of the Association for Information Systems, 27(11):173–184 (2010). http://citeseerx.ist.psu^{[3}du/viewdoc/download?doi=10.1.1.186^[2]/21&rep=rep1&type=pdf
- 4. P.K. Ip. J. Bus. Ethics **88**(1):211–224 (2009). https://link.springer??m/article/10.1007/s10551-008-9820-2
- 5. C.Y. Lin, Y.H. Ho. J. Bus. Ethics **98**(1):67–83 (2011). https://link.springer.com/article/10.1007/s10551-010-0535-9
- 6. F. Handoko, IJPTE, 1(2):93-107 (2017). https://jurnal.uns.ac.id/ijpte/article/view/15124/12410
- 7. S. Brammer, H. Walker. IJOPM, **31(4):452–476** (2011). http://www.emeraldinsight!
- 8. A.M. Deif. APEM. 6(1):27-36 (2011). http://apem-journal.org/Archives/2011/APEM6-1 027-036.pdf
- 9. D. Etzion. J. Manag. 33(4):637-664 (2007). http://journals.sagepub.com/doi/abs/10.1177/0149206307302553
- 10. J. Liu, H. Viney, D. Holt. European Business Journal 16(2)59-69 (2004). http://oro.open.ac.uk/1898/

- 11. R.B. Clements^[10] *mplete guide to ISO 14000*^[1] pper Saddle River: Prentice Hall (1996). pp. 78–95. https://www.amazon.com/Complete-Guide-Richard-Barrett-Clements/dp/0132429756
- F. Wiengarten, M. Pagell, B. Fynes. J. Clean. Prod. 56:18–28 (2012). https://www.sciencedirect.com/science/article/pii/S0959652612000339
- 13. Q. Wang, F. Lai, X. Zhao!¹Jupply Chain Management!² In International Journal, **13**(2):138–150 (2008). http://www.emeraldinsight.com/doi/abs/10.1108/13598540810860976
- 14. Ministry of Environmental. *Peraturan menteri negara lingkungan hidup nomor 31 tahun 2009*. [The ministry of environmental decree no.31, 2009]. Jakarta: Ministry of Environmental (2009). [in Bahasa Indonesia]. <u>http://puu-pi.menlh.go.id/pdf/ind/IND-PUU-7-2009-Permen%20No.%2031Thn%202009-Ekolabel%20Stantek.pdf</u>
- 15. UNEP. Emerging issues in our global environment. United Nation^{[1} NEP Year Book (2011). pp. 33–38. http://wedocs.unep.org/handle/20.500.11822/8276?show=full
- 16. H. Widyantoro, F. Handoko, E. Nursanti. Pengendalian biaya manufaktur berbasis environment oriented costmanagement (EOCM). [Manufacturing cost control based on environment oriented costmanagement (EOCM)]. SENIATI (Malang, Indonesia, 2016). [in Bahasa Indonesia]. http://ejournal.itn.ac.id/index.php/seniati/article/view/107/100
- 17. M. Atlas, R. Florida, Green manufacturing. In^{[2}] andbook of technology management. R.C Dorf (Ed.). America: CRC Press. (1998). pp. 25–33. https://books.google.co.id/books?id=C2u8I0DFo4IC&dq=M.+Atlas,+R.+Florida.+Handbook+of+Technology+Man
- agement&source=gbs_navlinks_s 18. C. Paula, F. Handoko, *Implementasi reduce, reuse, recycle (3R) untuk memenuhi kebutuhan palet pada PT. X.* [Implementation Reduce, Reuse, Recycle (3R) to Meet the Needs Palette at PT. X]. SENIATI (Malang, 2016). [in Bahasa Indonesia]. <u>http://ejournal.itn.ac.id/index.php/seniati/article/view/97/90</u>
- W. R. Scholz, A. Wiek, J. Ind. Ecol. 9(4):155–170 (2005). http://onlinelibrary.wiley.com/doi/10.1162/108819805775247963/abstract
- 20. K.D. Kalla, A. Brown. Infusing a sustainable green manufacturing course into manufacturing/mechanical engineering technology program. Washington DC: American Society for Engineering Education (2012). https://www.google.co.id/url¹³_t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwjPtbue mtrYAhUKI5QKHcpJBJ8QFggoMAA&url=http%3A%2F%2Fwww.asee.org%2Fpublic%2Fconferences%2F8%2F papers%2F5384%2Fdownload&usg=AOvVaw05mI7xTiGekGtp7hYGhDqm
- 21. P.J. Singh, A.J.R. Smith. Journal of Manufacturing Technology Management, 15(5):394–401 (2004). https://www.scopus.com/record/display.uri?eid=2-s2.0-4143087474&origin=resultslist&sort=plf-f&src=s&sid=b23964dce27a670f6f999a52f20ea666&sot=autdocs&sdt=autdocs&sl=18&s=AU-ID%2855498580900%29&relpos=17&citeCnt=87&searchTerm=
 22. B.B. Flyn, R.G. Shroeder, S. Sakakibara!!?Journal of Operations Management, 11(4):339–366 (1994).
- 22. B.B. Flyn, R.G. Shroeder, S. Sakakibara^[1]Surnal of Operations Management, 11(4):339–366 (1994). https://www.sciencedirect.com/science/article/pii/S0272696397900048
- 23. P.J. Singh. A study of theoretical and empirical bases of operationalising popular quality management approaches in manufacturing organizations in Australia. [Thesis]^[1] niversity of Melbourne, Australia (2002). https://www.researchgate.net/publication/260908699 A Study of Theoretical and Empirical Bases_of_Operation alising_Popular_Quality_Management_Approaches_in_Manufacturing_Organizations_in_Australia
- 24. J.F. Hair Jr, W.C. Black, B.J. Babin, R. E. Anderson. *Multivariate data analysis*. (7 ed.). New Jersey: Prentice-Hall. (2014). <u>https://www.amazon.com/Multivariate-Data-Analysis-Joseph-Hair/dp/0138132631</u>
- 25. F. Handoko, A. Smith, C. Burvill. JCEBS, 12(2):171–180 (2014). http://www.tandfonline.com/doi/abs/10.1080/14765284.2014.900968
- 26. F. Handoko, E. Nursanti, D. Harmanto, Sutriyono, ARPN JEAS, 11(8):5275-5282 (2016).
- http://www.arpnjournals.org/jeas/research_papers/rp_2016/jeas_0416_4105.pdf
- 27. M.E. Tjahjadi, F. Handoko, S.S. Sai. IJECE, 7(3):1188-1196 (2017).
- http://iaesjournal.com/online/index.php/IJECE/article/view/14794
- 28. S. Mahanal, S. Zubaidah, A. Bahri, M.S. Dinnurriya. Asia-Pacific Forum on Science Learning and Teaching, 17(2): art. no. 21 (2016). <u>https://eric.ed.gov/?q=thinking+skills&id=EJ1145728</u>
- 29. B.A. Prayitno, D. Corebima, H. Zubaidah, M. Ramli. JBSE, 16(2):266-277 (2007). http://www.scientiasocialis.lt/jbse/?q=node/564