Proceedings of the 2011 International Conference on Electrical Engineering and Informatics

Copyright ©2011 by the Institute of Electrical and Electronics Engineers, Inc. All right reserved

Copyright and reprint permission

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law, for private use of patrons, those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 1923

For other copying, reprint, or reproduction requests should be addreseed to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331

IEEE Catalog Number CFP1177H-CDR ISBN 978-1-4577-0751-3

Additional copies of this publication is available from

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA

+1 845 758 0400 +1 845 758 2633 (FAX) Email: curran@proceedings.com

INTERNATIONAL CONFERENCE ON ELECTRICAL ENGINEERING AND INFORMATICS ITB CAMPUS Bandung, July 17-19 2011

"Towards Converging Technologies"

Biomedical Engineering Computer Engineering Control & Computer Systems Data & Software Engineering Electrical Power Engineering Electronics Informatics Information Systems & Technology Telecommunication

Organizer :

Sponsors



Co-Organizer







ISBN: 978-1-4577-0751-3 IEEE Catalog Number: CFP1177H-CDR

CD PROGRAM ICEEI 2011

Preface

Organizing Committee

Content

List of Authors

Search

PREFACE

Welcome to the ICEEI 2011.

International Conference on Electrical Engineering and Informatics (ICEEI) is a biannual scientific meeting in Asia. The scope of the conference covers all fields in Electrical Engineering and Informatics, their methods, technologies, and applications. The conference is intended as a forum for researchers, academics and practitioners to present their research results as well as a platform to build or develop cooperative relationships among participants. This year ICEEI is the 3rd ICEEI with the two previous conferences were successfully held in Bandung, Indonesia (2007) and Selangor, Malaysia (2009).

It is a pleasure to host the ICEEI 2011, the 2011 International Conference on Electrical Engineering and Informatics at Institut Teknologi Bandung (ITB) campus, Bandung, Indonesia. This conference is jointly organized by the School of Electrical Engineering and Informatics (STEI), Institut Teknologi Bandung and the Faculty of Information Science and Technology (FTSM), Universiti Kebangsaan Malaysia (UKM). As in the previous conference, ICEE 2011 is also technically co-sponsored by IEEE.

There were 590s submissions with authors from 33 countries across the continents. After rigorous peer-reviewing by at least two reviewers drawn from external reviewers and the committees, there are about 350 regular papers from 21 countries are accepted for presentations in 62 sessions.

In addition to regular presentations, five keynote speakers, i.e. Prof. G.C. Montanary (University of Bologna, Italy), Prof. A.R. Hamdan (UKM, Malaysia), Prof. R. Bambang (ITB, Indonesia), Prof. M. Hikita (Kyushu Institute of Technology, Japan), Prof. I. Supriana (ITB, Indonesia), are invited to deliver lectures in the field of Electrical Engineering and Informatics.

I am greatly in debt to many people and parties for their enthusiastic efforts that make this conference possible. Participation and supports of all authors, participants, committee members, secretariat, and sponsors are greatly appreciated. I thanks especially to external reviewers for their precious expertise and timely reviews.

Finally, I sincerely hope that all of the participants gain tremendous benefits while having fruitful and enjoyable experiences during the conference at ITB campus, Bandung, Indonesia.

Arief Syaichu-Rohman General Chair of the ICEEI 2011



ICEEI 2011 COMMITTEES

ORGANIZING COMMITTEE

General Chair Arief Syaichu Rohman

Finance

Chair: Aciek Ida Wuryandari Adi Mulyanto

Publication

Chair: Deny Hamdani Widyawardana Adiprawita Saiful Akbar Noraidah Sahari Rozilawati Razali

Secretariat

Chair: Rinaldi Munir Ayu Purwarianti Fazat Nur Azizah

Technical Program

Chair: Tri Desmana Rachmilda Arief Sasongko Achmad Munir Riza Satria Perdana Ary Setijadi Prihatmanto

STEERING COMMITTEE

Chair: Adang Suwandi Ahmad Iyas Munawar Kuspriyanto Benhard Sitohang Tati Latifah Mengko Ngapuli Sinisuka Yanuarsyah Haroen Suhono H. Supangkat Iping Supriana Trio Adiono

INTERNATIONAL PROGRAM COMMITTEE

Chair: Andrivan Bayu (Indonesia) Bambang Riyanto (Indonesia) Dwi Hendratmo (Indonesia) Benhard Sitohang (Indonesia) Pekik A. Dahono (Indonesia) Iping Supriana (Indonesia) Dina S. Laila (UK) Agus Geter (Malaysia) Riza Sulaiman (Malaysia) Azah Muhamed (Malaysia) Nurhidajat S. (USA) Nigel Lovell (Australia) Michel Paindavoine (France) Xiaochuan Pan (USA) F. Magno (Philipine) Gerard Berger (France) Maquelonue Teisseire (France)

INTERNATIONAL ADVISORY COMMITTEE

Chair: Suwarno Abdul Razak Hamdan (Malaysia) Gian Carlo Montanary (Italy) Banmongkol Channarong (Thailand) Masayuki Hikita (Japan) Leo P. Ligthart (The Netherland) Ramjee Prasad (Denmark) Maurice Fadel (France) Guan-Jun Zhang (China) Han J. Woong (Korea) T. Obi (Japan) Rainer Patsch (Germany) Lalit Goel (Singapore) H. J. Busscher (The Netherland) Dominique Laurent(France)

2011 International Conference on Electrical Engineering and Informatics

(ICEEI 2011)

Bandung, Indonesia 17-19 July 2011

Pages 1-924

Editors:

Arief Syaichu-Rohman Saiful Akbar Rozilawati Razali Deny Hamdani Widyawardhana Adiprawita Noraidah Sahari



IEEE Catalog Number: CFP1177H-PRT ISBN: 978-1-4577-0753-7

TABLE OF CONTENTS

Global Monitoring: The Paradigm for Asset Management in the Smart Grid Framework G. C. Montanari, A. Cavallini, M. Tozzi	1
MYNDA: An IDSS Generator with Hyperheuristic Attribute Reduction	6
Recent Progress in Adaptive Nonlinear Active Noise Control	12
Fundamental Principles and Application of Diagnosis for GIS using Partial Discharge Measurements	
Direct Skeleton Extraction using River-Lake Algorithm Iping Supriana, Peb Ruswono Aryan	26
Geographical Information System and Web Service Implementation for Volcanic Eruptions Geologic Disasters Surveillance, Monitoring, and Mitigation System Adi Nugroho, Edi Winarko	29
Using Organizational Culture Approach and COBIT Framework in Designing of Information Technology Governance on Non Ministrial Government Institute (LPNK), Case Study: Center for Scientific Documentation and Information - Indonesian Institute of Sciences	
Budi Nugroho, Kridanto Surendro Design of Digital Implant for Propagative Planning in Total Hip Depleasement	20
Azrulhizam Shapi, Riza Sulaiman, Mohammad Khatim Hasan, Anton Satria Prabuwono, Abdul Yazid Mohd Kassim, Nor Hazla Mohamed Haflah	
Implementation of Knowledge Management System in PT Intimas Wisesa Wardani Muhamad, Bambang Hariyanto	45
Gate Driver and Feedback Control Design for High Frequency Converter	51
Alleviation of Line Congestion Using Multiobjective Particle Swarm Optimization Sawan Sen, S. Chanda, S. Sengupta, A. Chakrabarti, A. De	
Design of Total Hip Replacement Digital Templating Software Azrulhizam Shapi, Anton Satria Prabuwono, Mohammad Khatim Hasan, Riza Sulaiman	63
The Algebraic Reconstruction Technique of Lambert-Beer's Attenuation Approximation for Parallel Rays Transmission Projection	69
A Multi-objective Optimisation Algorithm with Swarm Intelligence for Contingency Surveillance Sawan Sen, Sandip Chanda, S. Sengupta, A. Chakrabarti	75
Rotor Thermal Sensitivity Experience on 143.4 MVA Hydrogen-Cooled Turbo Generator with Direct-Cooled Rotor Design	
Andri Febriyanto, Hilarius Tutut Sandewan	07
Dzikri Firmansyah Hakam, Rizki Wahyuni, Eko Yudo Pramono	
Sensitive Loads Voltage Improvement Using Dynamic Voltage Restorer M. N. Tandjaoui, C. Benachaiba, O. Abdelkhalek, M. L. Doumbia, Y. Mouloudi	93
Academic IS for Higher Education Institutions: The Design of Speedy Courses Registration Transaction Function	
Veronica S. Moertini, Tety Yuliaty, Wisnu Rumono PMD Companyon with Combined Optical Amplifier for 40G Systems	. 103
D. Andriyanto, D. Tarsono, A. Ahmad, M. Zamzuri	
e-Livestock as a New Paradigm in e-Government Arief Ramadhan, Dana Indra Sensuse	106
Small Signal Averaged Model of DC Choppers for Control Studies	
Modelling and Controller Design for a Non-inverting Buck-Boost Chopper	
Analysis of Harmonic Emmission from Dimmable Compact Fluorescent Lamps	
Identifying Software Quality Factors for Telecommunication Industry in Malaysia	
Dynamic Load Control Mechanism in Hierarchical MIPv6 Zulkeflee Kusin, Mohamad Shanudin Zakaria	

Risk-Based Voltage Collapse Assessment Using Generalized Regression Neural Network Marayati Marsadek, Azah Mohamed, Zulkifli Mohd. Nopiah	133
The Efficient mCBE Algorithm and Quantization Numbers for Multiplierless and Low Complexity DCT/IDCT Image Compression Architecture	
Rachmad Vidya Wicaksana Putra, Rella Mareta, Nurfitri Anbarsanti, Trio Adiono	
The Enhancement of Computation Technique By Combining RSA and El-Gamal Cryptosystems Jassim Mohammed Ahmed, Zulkarnain Md Ali	
Out of Vocabulary Detection in Indonesian Speech Recognition Using Word and Syllable Level	
Decoding	150
Current-Mode Third-Order Quadrature Oscillator Using Minimum Elements	
Fully Integrated Current-Mode Quadrature Sinusoidal Oscillator Circuit	
Voltage-Controlled Floating Resistor Using Differential Difference Amplifier	
Detection and Reconstruction of Geometric Object Based on Line Detection Using Radon Transform	
A Novel Power Swing Detection Algorithm Using Adaptive Neuro Fuzzy Technique	
COTS Software Evaluation and Selection: A pilot Study Based in Jordan Firms	
Inertial Measurement Unit Using Multigain Accelerometer Sensor and Gyroscope Sensor	
Rural Internet Service System based on Delay Tolerant Network (DTN) Using Train System	
Telemedicine System Based on Delay Tolerant Network	
CAMSHIFT Improvement on Multi-Hue and Multi-Object Tracking P. Hidavatullah. H. Konik	
Gene Network Modelling Using Computational Method by Integrating with Prior Knowledge Suhaila Zainudin, Nur Shazila Mohamed	
Developing Local Languages Repository System Using Semantic Web Technology Wikan Danar Sunindyo, Adi Mulyanto, Yani Widyani, Tricya Esterina Widagdo	
Maximum Power Point Tracker as Regulated Voltage Supply using Ripple Correlation Control Felix Yustian Setiono, Leonardus Heru Pratomo	
A Non Deterministic Indonesian Stemmer	
Ayu Purwarianti	
Azuraliza Abu Bakar, Zuriyah Kefli, Salwani Abdullah, Mazrura Sahani	
Classification Models for Outbreak Detection in Oil and Gas Pollution Area	
Azuraliza Abu Bakar, Nurfathehah Idris, Abdul Razak Hamdan, Zalinda Othman, Mohd Zakri Ahmad Nazari, Suhaila Zainudin	
The Estimation of Flashover Voltage as 20 kV Outdoor Insulator in Tropical Environment Based on	
Leakage Current Data Valdi Rizki Yandri	
Reconstruction of Fractional Brownian Motion Signals From Its Sparse Samples Based on	
Compressive Sampling	247
Development of a Cost-effective Shooting Simulator using Laser Pointer.	253
Aryuanto Soetedjo, Eko Nurcahyo, Yusuf Ismail Nakhoda	
Modeling of Wind Energy System with MPPT Control	258
Comparing Membrane Computing Simulation Strategies of Matchelie and Cillernia Algorithms with	
Lotka-Voltera Population as a Case Study	
Model Predictive Control Implementation on a Programme blo Lack Control Implementation	
Control	
Artej Syaichu-Kohman, Raphael Sirius	0.5.4
R. Mohamad, A. K. Zamzuri, S. Yaakob, S. M. Idrus, A. S. Supaat	

Yusep Rosmansyah, Husni Mubarok, Rio Yunanto	
Optimal Investment and Consumption Strategies for Small Investor Using Bellman's Principle of	000
Primainty R A Surva R Aswin Rahadi Ruben Iulianta	
In Effective Power Quality Monitor Placement Method Utilizing Quantum-Inspired Particle Swarm	
Detimization	
Ahmad Asrul Ibrahim, Azah Mohamed, Hussain Shareef, Sakti Prasad Ghoshal	
Design of Single-Transversal-Mode VCSEL with Photonic Crystal Holey Cladding Sherwin R. Sompie, Henri P. Uranus	
sumerical Analysis of Electric Field at the Contact Point Between a Spacer Aerial Cable and a	
Voteharin Soithangin Boanghai Teahannat	
Automatic Classification of Tuberculosis Bacteria Lising Neural Network	303
Riries Rulaningtyas, Andriyan B. Suksmono, Tati L. R. Mengko	
Detection of Cerebral Aneurysms by Using Time Based Parametric Color Coded of Cerebral	
Angiogram	
I. Lakaria, A. Kurniawan, T. L. K. Mengko, U. S. Santoso	
Haikal Nando Winata, Svaimak Abdul Shukar	
Anufacturability Analysis System for Micromilling	
Syaimak Abdul Shukor	
Ontological Based Clinical Decision Support System (CDSS) for Weaning Ventilator in Intensive	0.000
Care Unit (ICU)	
Rock-based Programming Annroach: Challenges and Benefits	378
Siti Nor Hafizah Mohamad, Ahmed Patel, Rodziah Latih, Qais Qassim, Liu Na, Yiqi Tew	
Optimized 8-Level Turbo Encoder Algorithm and VLSI Architecture for LTE Ardimas Andi Purwita, Arnaud Setio, Trio Adiono	
The Development of CAD System for SME Food Packaging in Malaysia: A Proposal Suzivanti Marjudi, Riza Sulaiman, Mohd. Fahmi Mohanad Amran, Salivah Kahar, Khairul Annuar Abdullah	
Statistical Study on Tree Inception Voltage of Silicone Rubber and Epoxy Resin M. H. Ahmad, H. Ahmad, N. Bashir, Z. A. Malek, Y. Z. Arief, R. Kurnianto	
The Determination of Critical Points on High Voltage / Extra High Voltage Over-Head Lines Caused by Lightning Strikes using Severity Indexes Method	
Eko Yudo Pramono, Dzikri Firmansyah Hakam, Reynaldo Zoro	
IV/EHV Transmission Lines Performance Calculation of Lightning Stroke by Using Corridor	257
Eko Yudo Pramono, Revnaldo Zoro, Rizki Wahyuni	
An Indonesian Question Analyzer to Enhance the Performance of Indonesian-English CLQA	
M. Iqbal Faruqi, Ayu Purwarianti	
Non Word Error Spell Checker for Indonesian using Morphologically Analyzer and HMM Moch Yusup Soleh, Ayu Purwarianti	
Assessment of GIS Implementation in Indonesian e-Government System	
Arief Ramadhan, Dana Indra Sensuse, Anlati Murni Arymurthy	
nstructor's Success Measures of Learning Management System	
Ibrahim Abood Aimrashden, Noraidan Sahari, Nor Azan Mai Zin, Mulasem Aismadi	284
Farruh Ishmanov, Sung Won Kim	
Strategic Decision Making based on A3S Information-Inferencing Fusion Method	
Arwin Datumaya Wahyudi Sumari, Adang Suwandi Ahmad, Aciek Ida Wuryandari, Jaka Sembiring	
Analysis of the Effect of Rainfall Intensity in Jakarta and Tangerang to the Performance of Free	
Riberty W. I. Round Henri P. Uranus	
AI Based Economic Load Dispatch Incorporating Wind Power Penetration	40/
A. Naresh Kumar, D. Suchitra	40
Microcontroller Based Environmental Control for Swiftlet Nesting with SMS Notification Djunaidi Tristanto, Henri P. Uranus	
그는 것이 같은 것이 같이	1.2.2.2

Performance Study of 1 Bit Static RAM Based on Process Technologies N. Tumiran, M. Awan	423
Image Correlation Analysis for Biometric Identification	428
SPQF: Software Process Quality Factor - For Software Process Assessment and Certification	
A MAC Throughput over Rayleigh Fading Channel in the 802.11a/g/n-based Mobile LAN	440
Generating Tailored Summary of Scientific Paper from Rhetorical Document Profile Mohammad Dimas, Masayu Khodra	447
Feng Shui Expert System for Evaluating Residential Architectural Design Nabila As'Ad, Masayu K. Leylia	452
Modeling and Designing Wireless Energy Transfer Circuit in High Voltage Based on Magnetic	
Coupling Taghi Mohamadi	
Word Sense Disambiguation in Information Retrieval Using Query Expansion F. B. Dian Paskalis, M. L. Khodra	
Mitigation of Outdoor Insulators Failure using Silicone Coating Ario Basuki, Su Warno	468
Underwater Acoustic Signal Processing for Detection and Quantification of Fish	
Effects of Electric Arc on the Dielectric Properties, Partial Discharge Patterns and Dissolved Gases in Silicone Oil	
Su Warno, Ishak Nasution Evaluation of 20 kV Cable Diagnostic Method in Field Condition	
Ubiquitous Healthcare System: A Design on the Remote Monitoring Based On Walking Activities	
Intelligent Schema Integrator (ISI): A Tool to Solve the Problem of Naming Conflict for Schema Integration	493
Kamsurlah Ahmad, Hea Khim Chiew, Reduan Samad	
Effects of Temperature on the Breakdown Voltage and Partial Discharge Patterns of Biodegradable	
Oil	
Su Warno, Herl Sutikno	
Heuristic Evaluation of Distance Learning Management System Interface	504
Variable HVDC Supply using Fly back Transformer with Several Protective Features to the Output Power BJT/ MOSFET	
Muhammad Muktadir Rahman, Md. Asif Istiaq	
Working Frequency in Wireless Power Transfer for Implantable Biomedical Sensors	
Implementation of Multimodal Biometrics Recognition System Combined Palm Print and Palm Geometry Features	
Tanuar Adhinagara, B. W. Ijokorda Agung, Reino Novi Dayawati	504
Iping Supriana Suwardi, W. Tjokorda Agung Budi Badial Basic Function Naturalis, Gar Madeling, Marine Flacturence and Suprime	
Agus Arif, Vijanth S. Asirvadam, M. N. Karsiti	
Architecture for Quality of Service Cuarentee using Finite Time Decrement UTTD	526
Architecture for Quality of Service Guarantee using Finite Time Response-HTTP. Sinung Suakanto, Su Hardi Virtual Interaction on Augmented Deality with Neuropean in Park 6 Deality and the second	536
Architecture for Quality of Service Guarantee using Finite Time Response-HTTP. Sinung Suakanto, Su Hardi Virtual Interaction on Augmented Reality with Nonparametric Belief Propagation Algorithm as Tracker	536
 Architecture for Quality of Service Guarantee using Finite Time Response-HTTP. Sinung Suakanto, Su Hardi Virtual Interaction on Augmented Reality with Nonparametric Belief Propagation Algorithm as Tracker Yoki Ariyana, Aclek Ida Wuryandari Insulating Performance of LL DPF Natural Publics 	536 541
 Architecture for Quality of Service Guarantee using Finite Time Response-HTTP. Sinung Suakanto, Su Hardi Virtual Interaction on Augmented Reality with Nonparametric Belief Propagation Algorithm as Tracker Yoki Ariyana, Aciek Ida Wuryandari Insulating Performance of LLDPE/Natural Rubber Blends by Studying Partial Discharge Characteristics and Tensile Properties Mohamad Zul Hilmey Bin Mokmud Aulia Savuti Yonwar Z. Arief. Mat Usin Wabit 	536 541 549
 Architecture for Quality of Service Guarantee using Finite Time Response-HTTPSinung Suakanto, Su Hardi Virtual Interaction on Augmented Reality with Nonparametric Belief Propagation Algorithm as Tracker	536 541 549 553
 Architecture for Quality of Service Guarantee using Finite Time Response-HTTP	536 541 549 553 558

Least-Squares Polynomial Quasi-Monte Carlo for Short-Term Generation Unit Asset Valuation	
Approaches to Develop Oracle for Detecting Deception in Online Chatting Software Z. Shukur, A. H. Nasution, A. A. Wibowo	574
Evaluation and Optimization of Java Object Ordering Schemes Amil A. Ilham, Kazuaki Murakami	
Human Resources Information Systems (HRIS) for Military Domain – A Conceptual Framework	
An Assessment Model of Information Security Implementation Levels	
Direct Access in Content-Based Audio Information Retrieval: A State of The Art and Challenges	
Analysis and Benchmarking Performance of Real Time Patch Linux and Xenomai in Serving a Real	
Time Application	
Performance Measurement System Based On Value Co-Creation Model. Wan Azlin Zurita Wan Ahmad, Yazrina Yahya, Muriati Mukhtar	
Comparison of PUMA and CUNWRAP to 2-D Phase Unwrapping Nurjannah Syakrani, Tati L. R. Mengko, A. B. Suksmono, Eddy T. Baskoro	611
High Voltage Transformer Bushing Problems	617
Henny I. Septyani, Indera Arifianto, Andreas P. Purnomoadi	12-2217
Matrix Characteristics for Two Dimensional Nongroup Cellular Automata J. Santoso, O. Slamet Santoso, B. Riyanto Trilaksono	621
The Study of Triplen Harmonics Currents Produced by Salient Pole Synchronous Generator	
Designing Mobile Services For MARDI. Daud Endam, Yazrina Yahya, Muriati Mukhtar, Wan Azlin Zurita Wan Ahmad	630
Framework Development of Electronic Marketing (EM): A Case Study on Catfish Industry in	
Malaysia Buani Atiqi Abdul Rahman, Yazrina Yahya, Muriati Mukhtar	635
A Process for Building Domain Ontology: an Experience in Developing Solat Ontology	639
A Case of Computer Laboratory Layout Modelling and Analysis Hairulliza Mohamad Judi, Yeoh Zhi Cheng, Tan Boon Seong, Lim Zi Yuan, Ho Hoe Yen, Ling Woi Voon	
The Mapping of Interconnected SOA Governance and ITIL v3.0 Fitri Susanti, Jaka Sembiring	648
COLLAPEDIA : Encyclopedia of Collaborative Environment Anisa Herdiani, Husni S. Sastramihardja	653
Short Messaging System (SMS) Framework Development: A Case Study of Catfish Industry in	
Malaysia Nor Fazliza Abdul Aziz, Yazrina Yahya, Muriati Mukhtar	659
OH Controller Synthesis for Networked Control Systems with Time Delay System Approach Wrastawa Ridwan, Riyanto T. Bambang	
Experiments in Malay Information Retrieval T. Mohd Tengku, Zainab Abu Bakar, Fatimah Ahmad	
UAV Path Planning Using Potential Field and Modified Receding Horizon A* 3D Algorithm Taufik Khuswendi, Hilwadi Hindersah, Widyawardana Adiprawita	
Enhancing Security in E-health Services using Agent Rossilawati Sulaiman, Dharmendra Sharma	
Development of Indonesian Handwritten Text Database for Offline Character Recognition Peb Ruswono Aryan, Iping Supriana, Ayu Purwarianti	
Indonesian Automatic Speech Recognition System Using English-Based Acoustic Model	
Traffic Sign Recognition with Color-based Method, Shape-arc Estimation and SVM David Soendoro, Iping Supriana	694
Framework of Visual Interface for Children's Digital Library Tengku Siti Meriam Tengku Wook, Noraidah Sahari Ashaari, Siti Fadzilah Mat Noor	
Flash Notes and Easy Electronic Software (EES): New Technique to Improve Digital Logic Design	
Learning Norul Huda Yusof, Rosilah Hassan	704
VLSI Design of a High-Throughput Discrete Cosine Transform for Image Compression Systems	

Hand Detection for Virtual Touchpad	
Location Recognition Using Detected Objects in an Image.	
Blood Parasite Identification using Feature Based Recognition	
Multi Input Multi Output Frequency Sampling Filters for Real System Applications	
Content-Targeted Advertising using Genetic Programming Rizky Delfianto, Masayu Leylia Khodra, Aristama Roesli	
Integrated Parent Information System (SMIB) to Increase Parental Involvement in Children's Learning Process in Malaysian Primary School	
Assessing Suitability of Candidates for Selection Using Candidates' Profiling Report	
Structured Algorithm to Extend the Numeric Range of n-bit Binary Number	
Multicultural Adaption Framework in Geographical Information System (GIS) Interface Design	
Managing Data Source Quality for Data Warehouse in Manufacturing Services Norizam Idris, Kamsuriah Ahmad	
Early Learning Malay Vocabulary Using Speech Technology: Dual Code Theory Approach Noor Ain Rosly, Dalbir Singh	
Condition Assessment of 500/150 kV Power Transformer based on Condition Based Maintenance	
Improvement of High-Power-White-LED Lamp Performance by Liquid Injection T. M. Roffi, I. Idris, K. Uchida, S. Nozaki, N. Sugiyama, H. Morisaki, F. X. N. Soelami	
Computer Game Based Learning Approach for Mandarin Language	
Dynamic Overlapping Clustering Algorithm for Wireless Sensor Networks Amin Suharjono, Gamantyo Hendrantoro	
Domain Specific Language (DSL) Development for Desktop-based Database Application Generator Steven Lolong, Achmad I. Kistijantoro	
Human Action Recognition Using Dynamic Time Warping Samsu Sempena, Nur Ulfa Maulidevi, M. T. Peb Ruswono Aryan	
Parallel Processing for Fingerprint Features Extraction G. Indrawan, B. Sitohang, S. Akhar	
Business Metadata with the STA Data Modelling Technique Ibrahim Mohamed, Mohamed Fauzan Noordin	
Mobile Robot Localization Using Augmented Reality Landmark and Fuzzy Inference System Kusprasapta Mutljarsa, Widyawardana Adiprawita, D. S. Hamdi Reza	
Performance Analysis of Space-Time Turbo Trellis Codes in Rayleigh Fading Channel Subuh Pramono	
Knowledge Based System for Supporting Genomic Based Personalized Medicine Restya Winda Astari, Chitra H. Ayuningtyas, G. A. Putri Saptawati	
An Analysis of Edge Detection as a Feature Extractor in a Hand Gesture Recognition System based on Nearest Neighbor	
Composite Field Multiplier based on Look-Up Table for Elliptic Curve Cryptography	020
Marisa W. Paryasto, Budi Rahardjo, Fajar Yuliawan, Intan Muchtadi-Alamsyah	
Performance Analysis of Relief and mRMR Algorithm Combination for Selecting Features in Lupus Genome-Wide Association Study	
Ivan Nugraha, Chitra H. Ayuningtyas, G. A. Putri Saptawati Reducing Perceptual Discontinuity in Peer-to-peer Live Video Streaming Based on Frame Loss	
Visibility Information Ricky Christanto, Shaou-Gang Miaou, Ting-Lan Lin	
Facial Expression Control of 3-Dimensional Face Model Using Facial Feature Extraction Abraham Ranardo Sumarsono, Iping Supriana Suwardi	
Simulation System of Color Blind Glasses by Image Processing Ginanjar Fahrul Muttaqin, Iping Supriana Suwandi	

Webcam Virtual Keyboard Sanrio Hernanto, Iping Supriana Suwardi	863
Web Screening Model Using Multiple Features. Zulaiha Ali Othman, Juhana Salim, Zainal Badli	
Whip: A Framework for Mashup Development with Block-based Development Approach Rodziah Latih, Ahmed Moosajee Patel, Abdullah Mohd, Zin, Tew Yiqi, Siti Hafizah Muhammad	
GPGPU Implementation of on-Line Point to Plane 3D Data Registration Janusz Bedkowski, Andrzej Mas-owski	
A Comparative Study of Feature Ranking Methods as Dimension Reduction Technique in Genome- wide Association Study	886
Chitra H. Ayuningtyas, G. A. Putri Saptawati, Tati L. E. R. Mengko	
Incident Detection Algorithm Based on Radon Transform using High-Resolution Remote Sensing	801
Seved Mostafa Mousavi Kahaki, M. D. Jan Nordin, Amir Hossein Ashtari	
Multimedia Broadcast Multicast Service over Single Frequency Network (MBSFN) in LTE based	
Femtocell	896
F. X. A. Wibowo, Arya. A. P. Bangun, A. Kurniawan	
A Syariah Compliant e-Auction Framework Suriati Jamalludin, Norleyza Jailani, Shofian Ahmad, Salha Abdullah, Muriati Mukhtar, Marini Abu Bakar, Mariani Abdul Majid, Mohd Rosmadi Mokhtar	901
Improved Range-free Localization Methods for Wireless Sensor Networks Prima Kristalina, Gamantyo Hendrantoro	9 07
A Framework to the Development of Islamic Ontology: Symbiosis of Thesaurus and Domain Expert	
in Ontology Development. Juhana Salim, Siti Farhana Mohamad Hashim, Shahrul Azman Mohd. Noah	
License Plate Recognition with Multi-threshold based on Entropy Nor Hanisah Zainal Abidin, Siti Norul Huda Sheikh Abdullah, Shahnorbanun Sahran, Farshid Pirahansiah	

This certificate is awarded to

Aryuanto Soetedjo

In recognition of the support and invaluable services rendered as a

PRESENTER

on the occasion of the 2011 International Conference on Electrical Engineering and Informatics held on July 17-19, 2011 in Bandung, Indonesia

ICEEI 2011 Committee General Chair.

Ir. Arief Syaichu-Rohman, MEngSc, PhD

School of Electrical Engineering and Informatics Institut Teknologi Bandung

CERTIFICATE



Prof.Dr.Ir. Suwarno, MT.



ICEEI20

Co-Grandize



Faculty of Information Science and Technology UNIVERSITY KEBANGSAAN MALAYSIA, Malaysia

Sponsors :



IEEE Engineering in Medicine and Biology Society-Indonesia Chapter IEEE Circuits and Systems Society-Indonesia Chapter IEEE Electron Devices, Education, Signal Processing and Power and Energy Systems-Indonesia Joint Chapter

Development of a Cost-Effective Shooting Simulator Using Laser Pointer

Aryuanto Soetedjo^{#1}, Eko Nurcahyo^{#2}, Yusuf Ismail Nakhoda^{#3}

[#]Department of Electrical Engineering, National Institute of Technology (ITN) Malang Jalan Raya Karanglo Km. 2 Malang, Indonesia

¹aryuanto@gmail.com

Abstract— In this paper, the development of a cost-effective shooting simulator is presented. The proposed system employs the photodiode sensors for detecting the laser pointer. To reduce the cost, the photodiode sensors are arranged into rows and columns, and the scanning technique is adopted to detect the presence of the laser beam on the sensor arrays. A cheap microcontroller system AT89S52 is used to perform the task. The experiment results show that the developed shooting simulator achieves a high reliability in the laser pointer detection, especially for indoor application. Additionally, the developed application software running on a PC is very useful and effective tool to monitor the shooting process, and the shooting reports could be generated for analysing the shooter's performance.

Keywords- shooting simulator, laser pointer, photodiode.

I. INTRODUCTION

In military, shooting is a fundamental skill of a soldier. A shooting practice should be done regularly and continuously. In military training, the conventional shooting range which uses a target from plastic or paper and firearm with the bullet, is commonly used. This system requires high cost for installation and providing the bullets, and need a specific area for avoiding injuries. Further, the environmental issue caused by the toxic waste of the weapon should be considered [1]. To overcome the drawbacks, a shooting simulator is used for replacing the conventional shooting range.

The shooting simulator usually uses a laser pointer attached on the gun (gun simulator) and a laser sensor on the target. There are several types of the sensors used on the target, such as [2]: a) CCD sensor; b) Laser beam deviation sensor; c) Sound sensor. The CCD sensor (camera) is the most popular sensor used to detect the laser beam, from the simple camera system to the complex multimedia system. The laser deviation sensor is the complicated devices with the same order of accuracy, mostly used in the field with the limited shooting distance until 200 meter. The sound sensor is used to detect the sound of the real gun, which is used indoor or outdoor. The accuracy depends on the sound sensor's configuration.

The commercial shooting simulators usually consist of a camera projector system and the gun equipped with laser

pointer. In this system, the shooter aims the laser pointer into the target screen which is projected by a projector, then a camera system captures the position of the laser pointer on the target and further analyses by a computer system [1], [3].

The main challenging task in the camera-based shooting simulator is the technique to detect the laser beam under different lighting conditions. In [4], a simple thresholding is employed to detect the laser beam. After detected, the position of the laser beam is determined by calculating the centroid of the cluster of the brightest pixels. The technique allows the low computation cost. They noted that the usage of the very shiny object as a target causes the problems, as they reflect laser in arbitrary different directions. To work under varying lighting conditions, the technique by adjusting the camera parameters is proposed in [5]. However it could not ensure that the laser spot could be detected by a fixed threshold.

The camera-based shooting simulator as described above is an effective way to replace the conventional shooting range, however the cost is relative expensive. In this paper, we overcome the drawbacks of the camera-based systems by employing the photodiode sensor as the laser sensor on the target. The proposed system deals with the cost-effective shooting simulator. Since the large numbers of photodiodes are required on the target, the scanning technique is employed to minimize the numbers of electronic components used in the input-output interface with the microcontroller system. Further, the application software running on a PC is developed as the man machine interface for monitoring and recording the shooting positions and scores.

The organization of the paper is as follows. Section 2 describes the proposed system. Section 3 presents the experimental results and discussions. Conclusion is covered in section 4.

II. PROPOSED SYSTEM

The configuration of proposed system is shown in Fig. 1. It consists of a laser pointer attached on the gun, a shooting target, and a personal computer. The target is composed of the photodiode sensors form ten concentric circular pattern. This circular pattern is similar to the conventional shooting target, where the outermost circle has the lowest score, i.e. 1, and the innermost circle has the highest score, i.e. 10. When a laser beam hits the photodiode sensor, the microcontroller-based system in the shooting target finds the position of the detected laser beam, and calculates the score, which is displayed on the scoring display. The position of detected laser beam is also sent to the computer for further process, such as monitoring and recording, and for generating the sound effect of the gun shooting.



Fig. 2 Block diagram of the shooting target.

A. Shooting Target

The main components of the shooting target are: a) Photodiode sensors; b) Sensor interfacing module; c) Microcontroller system; d) 7-segment display; and e) Bluetooth module as shown in Fig. 2. The most critical issue here is the determining of the diameter of the circular pattern, yields in the numbers of the photodiodes required. In this experiment, we consider the diameter of the outermost circular pattern is 10cm as the reliable one. The dimension of the target box is 40cm x 40cm. The nominal shooting distance is 10m.

The circular patterns of the target requires the total of 360 photodiodes, consists of 70, 62, 56, 48, 38, 30, 22 18, 11, 5 photodiodes on first, second, third, fourth, fifth, sixth, seventh, eight, ninth, tenth circles respectively, where the first circle is the outermost one. By this arrangement and after several efforts in drawing the PCB (Printed Circuit Board) for implementation, it is impossible to use two layers PCB, it needs the multi layers (more than two layers) PCB. Since our aim is to develop the low cost system, we should use two layers PCB by paralleling every two photodiodes on every circle, except the innermost one. It reduces almost half of the total photodiodes. Thus the numbers of sensors should be processed are 183 only. The arrangement of the photodiode sensors is shown in Fig. 3.



Fig. 3 Photodiode sensors.

The common photodiode circuit is shown in Fig. 4, where an op-amp is used as the comparator. In this circuit, photodiode is operated in reversed bias. When light falls on the photodiode, the current flows into photodiode, thus drops the voltage across it. The reference voltage on the inverting input of the comparator is determined by the values of R_2 and R_3 . Here, the reference voltage is determined so that when laser beam falls on the photodiode, the comparator's output is in the Low state.

The simple method to access 183 photodiode sensors is by connecting all anode pins to the ground and connecting each cathode pin to the comparator. However, it requires 183 comparators circuits, and 183 input ports should be provided by the microcontroller system. To reduce the numbers of comparator circuits and input ports, we employ the scanning strategy by arranging the photodiode sensors into arrays of 23 rows and 8 columns as shown in Fig. 5. The rows are connected to the comparator circuits, while the columns are connected to output driver of the microcontroller which is used for scanning the sensor arrays. Using this strategy, only 23 comparator circuits and input ports are needed, and 8 additional output ports are needed. Thus, the numbers of components are reduced significantly.



Fig. 4 Photodiode circuit with a comparator.



Fig. 6 Microcontroller's ports allocation.

A low cost microcontroller AT89S52 is employed in our system. Fig. 6 shows the port allocation to access all peripherals used in the system. In the figure, the labels of Row-1 to Row-23, Col-1 to Col-8 are the ones in Fig. 5. Three 3-state buffer IC's are used to read all 23 columns, where each buffer is selected by P2.0, P2.1, and P2.2 respectively. Eight transistor drivers are used to switch the Col-1 to Col-8 either to the ground or VCC. When P1.x is high, the transistor is ON and the column line will be connected to the ground. When P1.x is LOW the transistor is OFF and the column line will be connected to VCC. Fig.7 shows the flowchart of overall process done.



Fig. 7 Flowchart of the shooting target operation.

B. Application Software

The application software is designed to support the monitoring process, recording, and reporting. In the monitoring process, the computer receives the data contains the position of laser spot on the target from the shooting target via a serial communication using a Bluetooth. The circular pattern target and the position of the shooting laser beam are drawn on the screen. While in the shooting target, only the score is displayed on the 7-segment display, the application software displays both the score and position of the laser beam. In addition, the application will generate the shooting sound once the laser hits the target. In the system, one computer is able to monitor up to six shooting targets simultaneously.

III. EXPERIMENTAL RESULTS AND DISCUSSIONS

The proposed system is implemented in real hardware as shown in Fig. 8. The shooting simulator box is made from a plastic material. To increase the sensitivity of the laser pointer detection, a clear lens is put in front of the photodiode sensors. The total cost of this shooting target is about US\$250.



Fig. 8 The shooting target.

To verify the reliability of the proposed system, we do some experiments as described in the followings. By arranging the photodiode sensors as explained in Section 2, we found that the distance between the successive photodiodes along the perimeter of the circular pattern is 1mm, while the distance of the successive photodiodes along the radial direction is 2mm. In the experiment, we use two types of laser pointers: the regular laser pointer for presentation and the Sharp Ace Laser Point which is usually used the airgun. In the first experiment, the shooter shots the target from the distance of 10m and the score displayed on the target is observed. From the experiments, it is obtained that the shooting target responses or detects the laser point for all shooting trials when the laser beam falls on the circular target area. Both types of the laser pointers have the same responses. It means that the photodiode sensors always sense the laser beam that falls on the target area. In the other word, there are no blank spots found on the target area. From the observations, the results are affected by the clean lens which is installed in front of the photodiode sensors. When there is no lens installed, several shooting trials are mis-detected. The reason is that the lens diverges the laser beam.

In the second experiment, the illumination conditions around the shooting target are changed. The results are given in Table 1. In the table, "Success" means that the shooting target could detect the laser pointer properly, while "Fail" means that the shooting target fails to detect the laser pointer. In "Fail" condition, the shooting target displays the score of 1 permanently, i.e. this score does not change even the laser pointer hits the target. It means that the shooting target only detects the surrounding light, not the laser pointer.

 TABLE I

 RESULTS OF THE ILLUMINATION CHANGES

No	Illuminance (Lux)	Fail/Success	Remark
1	7	Success	Shooting target is put in the room without glasses windows, without lighting
2	30	Success	Shooting target is put in the room without glasses windows, with lighting comes from 80 Watt fluorescent lamp
3	350	Success	
4	2000	Success	Shooting target is put
5	3000	Success	in the room with
6	4000	Success	glasses windows,
7	5000	Success	lighting comes from
8	6000	Fail	the sunlight
9	7000	Fail	

The application software is developed using Delphi language programming running on a PC Windows. The shooting monitoring screen is shown in Fig. 9. There are 6 shooting targets available in the screen. Each target is used by one shooter, and 6 shooters could practice simultaneously. The shooting results are indicated on the target screen with the different sizes and colours for distinguishing between the shooting trials as shown in the shooting target number 1 (topleft target) in Fig. 9. The number on the top-left of each target indicates the current score, while the number on the top-right of each target indicates the total/cumulative score.



Fig. 9 Shooting monitoring screen.

The shooting report of the individual shooter is shown in Fig. 10. In each shooting turn, a shooter should shoot ten times. The application will record the ten shooting trials consist of the shooting scores which are tabulated in the table and the shooting positions which are drawn in the figure as shown in Fig. 10. In addition to this report, the report of the cumulative turns is also generated as shown in Fig. 11. Both reports are very useful for analysing the shooting performance of the shooter.

IV. CONCLUSIONS

The low-cost shooting simulator using laser pointer is developed. The photodiode sensor arrays are arranged to form the circular pattern of the target. Since 183 photodiodes are required, to minimize the numbers of interfacing components, the scanning technique is adopted, i.e. by scanning the rows and columns of the sensor arrays. The proposed system is implemented in real hardware and the additional application software is developed for monitoring and reporting purposes. The developed shooting simulator is tested indoor under the different lighting conditions, and shows the good performance.

In future, the system will be improved to work in outdoor condition. Further, the different shooting scenarios will be considered.



Fig. 10 Shooting report of the individual shooter.



Fig. 11 Shooting report for the cumulative turns.

REFERENCES

- S. Ladha, S. Chandran, K.T. Miles, "Vision Assited Safety Enhanced Shooting Range Simulator", Proceedings of NCVPRIPG 2010.S. M. Metev and V. P. Veiko, *Laser Assisted Microtechnology*, 2nd ed., R. M. Osgood, Jr., Ed. Berlin, Germany: Springer-Verlag, 1998.
- [2] J. Kiploks, J. Vjaters, "Shooting Simulator Structure", Scientific Journal of RTU: Power and Electrical Engineering, Vol. 22, p. 118-126, 2008.
- [3] S.J. Kim, M.S. Jang, H.S. Kim, T.Y. Kuc, "An Interactive User Interface for Computer-Based Education: The Laser Shot System", *Proceedings of World Conference on Educational Multimedia*, *Hypermedia and Telecommunications*, pp. 4174-4178, 2004.
- [4] A. Pavlovych, W. Stuerzlinger, "Laser Pointers as Interaction Devices for Collaborative Pervasive Computing", Advances in Pervasive Computing, pp. 315-320, 2004.
- [5] B.A. Ahlborn, D. Thompson, O. Kreylos, B. Hamann, O.G. Staadt, "A Practical System for Laser Pointer Interaction on Large Displays", *Proceedings of the ACM Symposium on Virtual Reality Software* and Technology, pp. 106-109, 2005.