

Lecture Notes in Electrical Engineering 365

Felix Pasila

Yusak Tanoto

Resmana Lim

Murtiyanto Santoso

Nemuel Daniel Pah

*Editors*

# Proceedings of Second International Conference on Electrical Systems, Technology and Information 2015 (ICESTI 2015)

# Lecture Notes in Electrical Engineering

Volume 365

## Board of Series editors

Leopoldo Angrisani, Napoli, Italy  
Marco Arteaga, Coyoacán, México  
Samarjit Chakraborty, München, Germany  
Jiming Chen, Hangzhou, P.R. China  
Tan Kay Chen, Singapore, Singapore  
Rüdiger Dillmann, Karlsruhe, Germany  
Haibin Duan, Beijing, China  
Gianluigi Ferrari, Parma, Italy  
Manuel Ferre, Madrid, Spain  
Sandra Hirche, München, Germany  
Faryar Jabbari, Irvine, USA  
Janusz Kacprzyk, Warsaw, Poland  
Alaa Khamis, New Cairo City, Egypt  
Torsten Kroeger, Stanford, USA  
Tan Cher Ming, Singapore, Singapore  
Wolfgang Minker, Ulm, Germany  
Pradeep Misra, Dayton, USA  
Sebastian Möller, Berlin, Germany  
Subhas Mukhopadhyay, Palmerston, New Zealand  
Cun-Zheng Ning, Tempe, USA  
Toyoaki Nishida, Sakyo-ku, Japan  
Bijaya Ketan Panigrahi, New Delhi, India  
Federica Pascucci, Roma, Italy  
Tariq Samad, Minneapolis, USA  
Gan Woon Seng, Nanyang Avenue, Singapore  
Germano Veiga, Porto, Portugal  
Haitao Wu, Beijing, China  
Junjie James Zhang, Charlotte, USA

### *About this Series*

“Lecture Notes in Electrical Engineering (LNEE)” is a book series which reports the latest research and developments in Electrical Engineering, namely:

- Communication, Networks, and Information Theory
- Computer Engineering
- Signal, Image, Speech and Information Processing
- Circuits and Systems
- Bioengineering

LNEE publishes authored monographs and contributed volumes which present cutting edge research information as well as new perspectives on classical fields, while maintaining Springer’s high standards of academic excellence. Also considered for publication are lecture materials, proceedings, and other related materials of exceptionally high quality and interest. The subject matter should be original and timely, reporting the latest research and developments in all areas of electrical engineering.

The audience for the books in LNEE consists of advanced level students, researchers, and industry professionals working at the forefront of their fields. Much like Springer’s other Lecture Notes series, LNEE will be distributed through Springer’s print and electronic publishing channels.

More information about this series at <http://www.springer.com/series/7818>

Felix Pasila · Yusak Tanoto  
Resmana Lim · Murtiyanto Santoso  
Nemuel Daniel Pah  
Editors

Proceedings of Second  
International Conference  
on Electrical Systems,  
Technology and Information  
2015 (ICESTI 2015)

 Springer

*Editors*

Felix Pasila  
Department of Electrical Engineering  
Petra Christian University  
Surabaya  
Indonesia

Murtiyanto Santoso  
Department of Electrical Engineering  
Petra Christian University  
Surabaya  
Indonesia

Yusak Tanoto  
Department of Electrical Engineering  
Petra Christian University  
Surabaya  
Indonesia

Nemuel Daniel Pah  
University of Surabaya  
Surabaya  
Indonesia

Resmana Lim  
Department of Electrical Engineering  
Petra Christian University  
Surabaya  
Indonesia

ISSN 1876-1100                      ISSN 1876-1119 (electronic)  
Lecture Notes in Electrical Engineering  
ISBN 978-981-287-986-8              ISBN 978-981-287-988-2 (eBook)  
DOI 10.1007/978-981-287-988-2

Library of Congress Control Number: 2015960766

© Springer Science+Business Media Singapore 2016

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

This Springer imprint is published by SpringerNature  
The registered company is Springer Science+Business Media Singapore Pte Ltd.

# Contents

## Part I Invited Speaker

- 1 Computational Intelligence Based Regulation of the DC Bus in the On-grid Photovoltaic System** . . . . . 3  
Mauridhi Hery Purnomo, Iwan Setiawan and Ardyono Priyadi
- 2 Virtual Prototyping of a Compliant Spindle for Robotic Deburring** . . . . . 17  
Giovanni Berselli, Marcello Pellicciari, Gabriele Bigi and Angelo O. Andrisano
- 3 A Concept of Multi Rough Sets Defined on Multi-contextual Information Systems** . . . . . 31  
Rolly Intan

## Part II Technology Innovation in Robotics Image Recognition and Computational Intelligence Applications

- 4 Coordinates Modelling of the Discrete Hexapod Manipulator via Artificial Intelligence** . . . . . 47  
Felix Pasila and Roche Alimin
- 5 An Object Recognition in Video Image Using Computer Vision** . . . . . 55  
Sang-gu Kim, Seung-hoon Kang, Joung Gyu Lee and Hoon Jae Lee
- 6 Comparative Study on Mammogram Image Enhancement Methods According to the Determinant of Radiography Image Quality** . . . . . 65  
Erna Alimudin, Hanung Adi Nugroho and Teguh Bharata Adji

<b>7</b>	<b>Clustering and Principal Feature Selection Impact for Internet Traffic Classification Using K-NN.</b> . . . . .	<b>75</b>
	Trianggoro Wiradinata and P. Adi Suryaputra	
<b>8</b>	<b>Altitude Lock Capability Benchmarking: Type 2 Fuzzy, Type 1 Fuzzy, and Fuzzy-PID with Extreme Altitude Change as a Disturbance</b> . . . . .	<b>83</b>
	Hendi Wicaksono, Yohanes Gunawan, Cornelius Kristanto and Leonardie Haryanto	
<b>9</b>	<b>Indonesian Dynamic Sign Language Recognition at Complex Background with 2D Convolutional Neural Networks</b> . . . . .	<b>91</b>
	Nehemia Sugianto and Elizabeth Irenne Yuwono	
<b>10</b>	<b>Image-Based Distance Change Identification by Segment Correlation</b> . . . . .	<b>99</b>
	Nemuel Daniel Pah	
<b>11</b>	<b>Situation Awareness Assessment Mechanism for a Telepresence Robot</b> . . . . .	<b>107</b>
	Petrus Santoso and Handry Khoswanto	
<b>12</b>	<b>Relevant Features for Classification of Digital Mammogram Images.</b> . . . . .	<b>115</b>
	Erna Alimudin, Hanung Adi Nugroho and Teguh Bharata Adji	
<b>13</b>	<b>Multi-objective Using NSGA-2 for Enhancing the Consistency-Matrix.</b> . . . . .	<b>123</b>
	Abba Suganda Girsang, Sfenrianto and Jarot S. Suroso	
<b>14</b>	<b>Optimization of AI Tactic in Action-RPG Game</b> . . . . .	<b>131</b>
	Kristo Radion Purba	
<b>15</b>	<b>Direction and Semantic Features for Handwritten Balinese Character Recognition System</b> . . . . .	<b>139</b>
	Luh Putu Ayu Prapitasari and Komang Budiarta	
<b>16</b>	<b>Energy Decomposition Model Using Takagi-Sugeno Neuro Fuzzy</b> . . . . .	<b>149</b>
	Yusak Tanoto and Felix Pasila	
<b>17</b>	<b>Odometry Algorithm with Obstacle Avoidance on Mobile Robot Navigation.</b> . . . . .	<b>155</b>
	Handry Khoswanto, Petrus Santoso and Resmana Lim	

**Part III Technology Innovation in Electrical Engineering,  
Electric Vehicle and Energy Management**

**18 Vision-Based Human Position Estimation and Following Using an Unmanned Hexarotor Helicopter . . . . . 165**  
Jung Hyun Lee and Taeseok Jin

**19 The Role of Renewable Energy: Sumba Iconic Island, an Implementation of 100 Percent Renewable Energy by 2020 . . . . . 173**  
Abraham Lomi

**20 Electromechanical Characterization of Bucky Gel Actuator Based on Polymer Composite PCL-PU-CNT for Artificial Muscle . . . . . 185**  
Yudan Whulanza, Andika Praditya Hadiputra, Felix Pasila and Sugeng Supriadi

**21 A Single-Phase Twin-Buck Inverter . . . . . 193**  
Hanny H. Tumbelaka

**22 Performance Comparison of Intelligent Control of Maximum Power Point Tracking in Photovoltaic System. . . . . 203**  
Daniel Martomanggolo Wonohadidjojo

**23 Vehicle Security and Management System on GPS Assisted Vehicle Using Geofence and Google Map . . . . . 215**  
Lanny Agustine, Egber Pangaliela and Hartono Pranjoto

**24 Security and Stability Improvement of Power System Due to Interconnection of DG to the Grid . . . . . 227**  
Ni Putu Agustini, Lauhil Mahfudz Hayusman, Taufik Hidayat and I. Made Wartana

**25 Solar Simulator Using Halogen Lamp for PV Research . . . . . 239**  
Aryuanto Soetedjo, Yusuf Ismail Nakhoda, Abraham Lomi and Teguh Adi Suryanto

**26 Artificial Bee Colony Algorithm for Optimal Power Flow on Transient Stability of Java-Bali 500 KV . . . . . 247**  
Irrine Budi Sulistiawati and M. Ibrahim Ashari

**27 Sizing and Costs Implications of Long-Term Electricity Planning: A Case of Kupang City, Indonesia. . . . . 257**  
Daniel Rohi and Yusak Tanoto

**28 Dynamic Simulation of Wheel Drive and Suspension System in a Through-the-Road Parallel Hybrid Electric Vehicle . . . . . 263**  
Mohamad Yamin, Cokorda P. Mahandari and Rasyid H. Sudono

<b>29</b>	<b>A Reliable, Low-Cost, and Low-Power Base Platform for Energy Management System . . . . .</b>	<b>271</b>
	Henry Hermawan, Edward Oesnawi and Albert Darmaliputra	
<b>30</b>	<b>Android Application for Distribution Switchboard Design . . . . .</b>	<b>279</b>
	Julius Sentosa Setiadji, Kevin Budihargono and Petrus Santoso	
<b>Part IV Technology Innovation in Electronic, Manufacturing, Instrumentation and Material Engineering</b>		
<b>31</b>	<b>Adaptive Bilateral Filter for Infrared Small Target Enhancement . . . . .</b>	<b>289</b>
	Tae Wuk Bae and Hwi Gang Kim	
<b>32</b>	<b>Innovative Tester for Underwater Locator Beacon Used in Flight/Voyage Recorder (Black Box) . . . . .</b>	<b>299</b>
	Hartono Pranjoto and Sutoyo	
<b>33</b>	<b>2D CFD Model of Blunt NACA 0018 at High Reynolds Number for Improving Vertical Axis Turbine Performance . . . . .</b>	<b>309</b>
	Nu Rhahida Arini, Stephen R. Turnock and Mingyi Tan	
<b>34</b>	<b>Recycling of the Ash Waste by Electric Plasma Treatment to Produce Fibrous Materials . . . . .</b>	<b>319</b>
	S.L. Buyantuev, A.S. Kondratenko, E.T. Bazarsadaev and A.B. Khmelev	
<b>35</b>	<b>Performance Evaluation of Welded Knitted E-Fabrics for Electrical Resistance Heating . . . . .</b>	<b>327</b>
	Senem Kursun Bahadir, Ozgur Atalay, Fatma Kalaoglu, Savvas Vassiliadis and Stelios Potirakis	
<b>36</b>	<b>IP Based Module for Building Automation System . . . . .</b>	<b>337</b>
	J.D. Irawan, S. Prasetyo and S.A. Wibowo	
<b>37</b>	<b>Influence of CTAB and Sonication on Nickel Hydroxide Nanoparticles Synthesis by Electrolysis at High Voltage . . . . .</b>	<b>345</b>
	Yanatra Budipramana, Suprpto, Taslim Ersam and Fredy Kurniawan	
<b>38</b>	<b>Waste Industrial Processing of Boron-Treated by Plasma Arc to Produce the Melt and Fiber Materials . . . . .</b>	<b>353</b>
	S.L. Buyantuev, Ning Guiling, A.S. Kondratenko, Junwei Ye, E.T. Bazarsadaev, A.B. Khmelev and Shuhong Guo	
<b>39</b>	<b>Design of Arrhythmia Detection Device Based on Fingertip Pulse Sensor . . . . .</b>	<b>363</b>
	R. Wahyu Kusuma, R. Al Aziz Abbie and Purnawarman Musa	

**40 Analysis of Fundamental Frequency and Formant Frequency for Speaker ‘Makhraj’ Pronunciation with DTW Method . . . . . 373**  
 Muhammad Subali, Miftah Andriansyah and Christanto Sinambela

**41 Design and Fabrication of “Ha (ʌm)” Shape-Slot Microstrip Antenna for WLAN 2.4 GHz . . . . . 383**  
 Srisanto Sotyoahadi, Sholeh Hadi Pramono and Moechammad Sarosa

**42 Investigation of the Electric Discharge Machining on the Stability of Coal-Water Slurries . . . . . 393**  
 S.L. Buyantuev, A.B. Khmelev, A.S. Kondratenko and F.P. Baldynova

**43 A River Water Level Monitoring System Using Android-Based Wireless Sensor Networks for a Flood Early Warning System . . . . 401**  
 Riny Sulistyowati, Hari Agus Sujono and Ahmad Khamdi Musthofa

**44 The Influence of Depth of Cut, Feed Rate and Step-Over on Surface Roughness of Polycarbonate Material in Subtractive Rapid Prototyping . . . . . 409**  
 The Jaya Suteja

**45 Adaptive Cars Headlamps System with Image Processing and Lighting Angle Control . . . . . 415**  
 William Tandy Prasetyo, Petrus Santoso and Resmana Lim

**46 Changes in the Rheological Properties and the Selection of a Mathematical Model of the Behavior of Coal-Water Slurry During Transport and Storage . . . . . 423**  
 S.L. Buyantuev, A.B. Khmelev and A.S. Kondratenko

**47 Design of a Fetal Heartbeat Detector . . . . . 429**  
 Nur Sultan Salahuddin, Sri Poernomo Sari, Paulus A. Jambormias and Johan Harlan

**Part V Technology Innovation in Internet of Things and Its Applications**

**48 Network Traffic and Security Event Collecting System . . . . . 439**  
 Hee-Seung Son, Jin-Heung Lee, Tae-Yong Kim and Sang-Gon Lee

**49 Paper Prototyping for BatiKids: A Technique to Examine Children’s Interaction and Feedback in Designing a Game-Based Learning . . . . . 447**  
 Hestiasari Rante, Heidi Schelhowe and Michael Lund

<b>50</b>	<b>Tracing Related Scientific Papers by a Given Seed Paper Using Parscit . . . . .</b>	<b>457</b>
	Resmana Lim, Indra Ruslan, Hansin Susatya, Adi Wibowo, Andreas Handojo and Raymond Sutjiadi	
<b>51</b>	<b>Factors Affecting Edmodo Adoption as Online Learning Medium. . . . .</b>	<b>465</b>
	Iwa Sungkono Herlambanggoro and Trianggoro Wiradinata	
<b>52</b>	<b>Principal Feature Selection Impact for Internet Traffic Classification Using Naïve Bayes. . . . .</b>	<b>475</b>
	Adi Suryaputra Paramita	
<b>53</b>	<b>Study on the Public Sector Information (PSI) Service Model for Science and Technology Domain in South Korea . . . . .</b>	<b>481</b>
	Yong Ho Lee	
<b>54</b>	<b>Digital Natives: Its Characteristics and Challenge to the Library Service Quality . . . . .</b>	<b>487</b>
	Siana Halim, Felecia, Ingrid, Dian Wulandari and Demmy Kasih	
<b>55</b>	<b>Web-Based Design of the Regional Health Service System in Bogor Regency. . . . .</b>	<b>495</b>
	B. Sundari, Revida Iriana and Bertilia Lina Kusrina	
<b>56</b>	<b>Security Handwritten Documents Using Inner Product . . . . .</b>	<b>501</b>
	Syaifudin and Dian Pratiwi	
<b>57</b>	<b>Augmented Reality Technique for Climate Change Mitigation . . . . .</b>	<b>511</b>
	Ruswandi Tahrir	
<b>58</b>	<b>Cyber Security for Website of Technology Policy Laboratory . . . . .</b>	<b>521</b>
	Jarot S. Suroso	
<b>59</b>	<b>TAM-MOA Hybrid Model to Analyze the Acceptance of Smartphone for Pediatricians in Teaching Hospital in Indonesia. . . . .</b>	<b>529</b>
	Oktri Mohammad Firdaus, Nanan Sekarwana, T.M.A. Ari Samadhi and Kah Hin Chai	
<b>60</b>	<b>Development of the Remote Instrumentation Systems Based on Embedded Web to Support Remote Laboratory . . . . .</b>	<b>537</b>
	F. Yudi Limpraptono and Irmalia Suryani Faradisa	
<b>61</b>	<b>Enhancing University Library Services with Mobile Library Information System . . . . .</b>	<b>545</b>
	Singgih Lukman Anggana and Stephanus Eko Wahyudi	

**62 Multi Level Filtering to Classify and Block Undesirable Explicit Material in Website . . . . . 553**  
 Mohammad Iqbal, Hifshan Riesvicky, Hasma Rasjid and Yulia Charli

**63 Query Rewriting and Corpus of Semantic Similarity as Encryption Method for Documents in Indonesian Language. . . . . 565**  
 Detty Purnamasari, Rini Arianty, Diana Tri Susetianingias and Reni Diah Kusumawati

**64 Securing Client-Server Application Design for Information System Inventory . . . . . 573**  
 Ibnu Gunawan, Djoni Haryadi Setiabudi, Agustinus Noertjahyana and Yongky Hermawan

**Part VI Technology Innovation in Information, Modelling and Mobile Applications**

**65 Analyzing Humanitarian Logistic Coordination for Disaster Relief in Indonesia. . . . . 583**  
 Tanti Octavia, I. Gede Agus Widyadana and Herry Christian Palit

**66 Surakarta Cultural Heritage Management Based on Geographic Information Systems . . . . . 589**  
 Ery Dewayani and M. Viny Christanti

**67 Gray Code of Generating Tree of  $n$  Permutation with  $m$  Cycles . . . . . 599**  
 Sulistyo Puspitodjati, Henny Widowati and Crispina Pardede

**68 Android and iOS Hybrid Applications for Surabaya Public Transport Information. . . . . 607**  
 Djoni Haryadi Setiabudi and Lady Joanne Tjahyana

**69 Games and Multimedia Implementation on Heroic Battle of Surabaya: An Android Based Mobile Device Application. . . . . 619**  
 Andreas Handojo, Resmana Lim, Justinus Andjarwirawan and Sandy Sunaryo

**70 Streamlining Business Process: A Case Study of Optimizing a Business Process to Issue a Letter of Assignment for a Lecturer in the University of Surabaya. . . . . 631**  
 S.T. Jimmy

**71 Design of Adventure Indonesian Folklore Game . . . . . 639**  
 Kartika Gunadi, Liliana and Harvey Tjahjono

**72 Measuring the Usage Level of the IE Tools in SMEs Using Malcolm Baldrige Scoring System . . . . . 649**  
I. Nyoman Sutapa, Togas W.S. Panjaitan and Jani Rahardjo

**73 Enumeration and Generation Aspects of Tribonacci Strings . . . . . 659**  
Maukar, Asep Juarna and Djati Kerami

**74 A Leukocyte Detection System Using Scale Invariant Feature Transform Method . . . . . 669**  
Lina and Budi Dharmawan

**75 The Diameter of Enhanced Extended Fibonacci Cube Interconnection Networks . . . . . 675**  
Ernastuti, Mufid Nilmada and Ravi Salim

**76 Prototype Design of a Realtime Monitoring System of a Fuel Tank at a Gas Station Using an Android-Based Mobile Application . . . . . 685**  
Riny Sulityowati and Bayu Bhahtra Kurnia Rafik

2<sup>ND</sup> ANNUAL 2015

# ICESTI

INTERNATIONAL CONFERENCE ON ELECTRICAL  
SYSTEMS, TECHNOLOGY AND INFORMATION

## Certificate

awarded to

**Yusuf Ismail Nakhoda**

For participation as

**Presenter**

**at 2<sup>nd</sup> annual ICESTI 2015**

International Conference on Electrical System,  
Technology & information

**September 9 - 12, 2015**


Patra Jasa Bali Resort and Villa, Kuta  
Bali - Indonesia

the flagship  
conference by:



UNIVERSITAS  
KRISTEN  
PETRA

in collaboration  
with:



SCOPUS

supported by:



DSU



organize by:



CONTINUING  
EDUCATION  
CENTRE

**Felix Pasila, Ph. D**

# Chapter 25

## Solar Simulator Using Halogen Lamp for PV Research

Aryuanto Soetedjo, Yusuf Ismail Nakhoda, Abraham Lomi and Teguh Adi Suryanto

**Abstract** This paper presents the development of solar simulator using the halogen lamp for PV research. The proposed simulator simulates both the irradiation level and the movement of the sun. The sun irradiation was simulated by varying the brightness of halogen lamp using a lamp dimmer controlled by the microcontroller. While the sun's movement was simulated by rotating the lamp on a frame actuated by a DC motor. A computer was employed to control the simulator in the manual mode where the user could input the desired position and irradiation level of the sun, or in the automatic mode where the desired position and irradiation level were calculated automatically based on the predefined data. The experimental results show that the proposed simulator works appropriately in simulating the sun's movement while varying the irradiation level. The average error of irradiation measurement between the sun and the solar simulator was 7.196 %.

**Keywords** Halogen lamp · Irradiation level · Solar simulator · PV


### 25.1 Introduction

Nowadays, the renewable energy resources, such as the PV system is widely used. The research and development of the PV system increase significantly. Naturally, the experiments on PV system require the sun light. Therefore, to provide the flexibility of testing and validating the PV system, the solar simulator was utilized [1–6]. The solar simulator uses the different kind of light sources such as carbon arc lamp, metal oxide arc lamp, quartz halogen lamp, xenon arc lamp, mercury xenon lamp, argon arc lamp, and LED (Light Emitting Diode) to simulate the solar lighting [6]. The halogen lamp is widely used due to inexpensive and the excellent

---

A. Soetedjo (✉) · Y.I. Nakhoda · A. Lomi · T.A. Suryanto  
Department of Electrical Engineering, ITN Malang, Malan, Indonesia  
e-mail: aryuanto@gmail.com

**Fig. 25.1** Halogen lamp spectrum distribution [4]



light output [4]. However it radiates the weak output in the blue and ultraviolet spectrum and strong output in infrared spectrum as illustrated in Fig. 25.1.

A simple solar simulator using the halogen lamp was developed in [5]. The developed solar simulator was used to measure the I-V characteristic of the PV module. In the experiments they changed the distance between the lamp and the PV module to vary the irradiation level. The irradiation level of 1 Sun ( $1000 \text{ Watt/m}^2$ ) was achieved when the distance is 80 cm with the 4000 W halogen lamp.

The LED based solar simulator was developed in [2]. The objective of their research is to match the spectrum of solar simulator according to the ASTM E927-05 Standard Specification for Solar Simulation for Terrestrial Photovoltaic Testing. They used five types of high power LEDs having the wavelengths of 470, 505, 530 and 655 nm, and white color. The spectral matching was carried out by controlling the intensity of LEDs using the PWM signal controlled by a microcontroller.


The combination of halogen lamp and LED for solar simulator was proposed in [1, 3]. The advantages of LED are the high efficiency and low cost. But for NIR (Near Infra Red) spectrum, the emission band is narrow and very expensive. Therefore, they used the halogen lamp to replace the LED in the NIR spectrum.

In this paper, we propose a simple solar simulator using the halogen lamp. Our proposed solar simulator has two main contributions, i.e.: (a) It provides the varying irradiation by changing the lamp intensity; (b) It simulates the movement angle of the sun from rising time in the morning until sunset time in the afternoon. The computer software is utilized to operate such system in the automatic mode and manual mode.

The rest of paper is organized as follows. Section 25.2 presents the proposed system. Section 25.3 presents the experimental results. Conclusion is covered in Sect. 25.4.

## 25.2 Proposed System

The block diagram of proposed system is illustrated in Fig. 25.2. It consists of a computer, a microcontroller unit, a servo motor, a dimmer unit, a DC motor, a halogen lamp, and the mechanical parts. The computer is used by the user to control



**Fig. 25.2** Block diagram of solar simulator

the solar simulator. The microcontroller unit is employed for interfacing between the computer and the motors. It receives the command for rotating the DC motor and servo motor from the computer. The DC motor is used to rotate the lamp frame for simulating the sun rotation. The motor is equipped with the gear reduction and is driven by the driver that provides the high current.

The dimmer unit is a device used to control the light intensity of the lamp. Commercially, the dimmer is equipped with a potentiometer for adjusting the lamp intensity. In the research, we adopt the existing dimmer by modifying it with a servo motor coupled with the potentiometer. Using this arrangement, the rotation of potentiometer could be controlled by the microcontroller.

The halogen lamp is installed on a rotating frame that moves 180° from the left to right, vice versa. The rotating frame is installed above the base where the PV module is placed. Using this construction, we could simulate the movement of sun rising and sunset by moving the rotating frame controlled with the DC motor.

In the research, the solar simulator is designed to simulate the sun rotation from 07:00 until 17:00. In this experiment, the start position of halogen lamp is set to 15°, and the final position is set to 165°. Therefore the position of 90° is achieved when the lamp is located in the above middle of the PV module. This position represents the position of the sun at noon (12:00).

The computer software is designed to control both the lamp position and brightness. Two modes are available, i.e. manual mode and automatic mode. In the manual mode, the user enters the lamp position and the required irradiation level. In the automatic mode, the system will run automatically by reading the predefined values of lamp position and the corresponding irradiation level.

### 25.3 Experimental Results

The hardware of proposed solar simulator is illustrated in Fig. 25.3. Several experiments are conducted to validate the proposed system. In the first experiment, the relationship between the potentiometer position (i.e. the servo position) and the

**Fig. 25.3** Hardware of solar simulator



brightness level represents the irradiation level is observed. To measure the irradiation level, the Solar Power Meter (Tenmars TM-206) is employed. The measurement result is given in Table 25.1 and Fig. 25.4. From the figure, it is clearly shown that the relationship is almost linear. Thus the irradiance level for a certain value could be determined easily based on the position of servo motor.

From the table, the relationship between servo position and irradiation level could be expressed using the following equation

$$y = 8.204x - 334.6 \tag{25.1}$$

where,  $y$  is the irradiation level in  $\text{Watt/m}^2$  and  $x$  is the servo position in degree.

In the second experiment, we compare the irradiation level of the sun and the solar simulator. At first, the sun irradiation level is measured from 07:00 until 17:00 with 15 min interval. This measurement is conducted during the sunny day. The measurement result is listed in Table 25.2. Then the solar simulator is run in the

**Table 25.1** Relationship between servo position and irradiation level

Servo position (degree)	Irradiation level ( $\text{Watt/m}^2$ )	Servo position (degree)	Irradiation level ( $\text{Watt/m}^2$ )	Servo position (degree)	Irradiation level ( $\text{Watt/m}^2$ )
45	60	90	340	135	812
50	92	95	442	140	804
55	120	100	490	145	885
60	155	105	502	150	875
65	200	110	563	155	940
70	245	115	625	160	973
75	282	120	646	165	1005
80	315	125	713	–	–
85	335	130	750	–	–





Fig. 25.4 Linearity between servo position and irradiation level

Table 25.2 Measurement of irradiation level of the sun and solar simulator

Time	Lamp position (degree)	Irradiation level (Watt/m2)		Time	Lamp position (degree)	Irradiation level (Watt/m2)	
		Sun	Solar simulator			Sun	Solar simulator
7:00	15	375	340	12:00	90	935	1005
7:15	18.75	395	442	12:15	93.75	917	885
7:30	22.5	519	502	12:30	97.5	943	885
7:45	26.25	527	502	12:45	101.25	922	885
8:00	30	678	646	13:00	105	924	885
8:15	33.75	893	804	13:15	108.75	917	885
8:30	37.5	901	890	13:30	112.5	899	804
8:45	41.25	911	890	13:45	116.25	873	804
9:00	45	921	900	14:00	120	892	792
9:15	48.75	929	896	14:15	123.75	827	785
9:30	52.5	947	896	14:30	127.5	818	771
9:45	56.25	893	858	14:45	131.25	854	746
10:00	60	904	930	15:00	135	790	772
10:15	63.75	841	791	15:15	138.75	603	565
10:30	67.5	874	793	15:30	142.5	655	565
10:45	71.25	862	804	15:45	146.25	645	565
11:00	75	964	875	16:00	150	613	565
11:15	78.75	923	880	16:15	153.75	498	440
11:30	82.5	1134	973	16:30	157.5	404	400
11:45	86.25	1016	1005	16:45	161.25	238	205
12:00	90	935	1005	17:00	165	212	145

**Fig. 25.5** Comparison of Sun irradiation versus solar simulator irradiation



automatic mode. Thus it will rotate and vary the brightness of halogen lamp automatically. During this movement, the irradiation level of the simulator is measured and listed in Table 25.2.

Figure 25.5 illustrates the measurement results of the irradiation level of the sun and the solar simulator. From the figure, it is obtained that the result of the solar simulator is almost the same with the sun. The error between the real measurement of the sun irradiation and the solar simulator is calculated as

$$\frac{|Lamp\ irradiation - Sun\ irradiation|}{Sun\ irradiation} \times 100\% \tag{25.2}$$

From the table, the average error for the data given in Table 25.2 is obtained as 7.196 %.

Two important results are achieved by our proposed system. The first is a method to change the lamp intensity by utilizing the the simple lamp dimmer coupled with the servo motor. This simple arrangement offers the linear relationship between the servo position and the irradiation level produced by the halogen lamp. The second is the capability of the proposed system to simulate the irradiation level generated by the sun during the sunny day. It is validated by the experiment that the proposed solar simulator is able to move while varying the lamp intensity closely to the real sun.

### 25.4 Conclusion

The simple and low cost solar simulator is developed. The main objective of the proposed simulator is to simulate the sun irradiation and the sun movement. The solar simulator could be used to examine and test the research on PV system. The irradiation of solar simulator could be controlled using the computer and almost the same as the real measurement of the real sun irradiation.

In future, the simulator will be extended in the size which is used by the larger PV module. Further the software simulation will be improved and integrated with the PV system.

## References

1. Grandi, G., Ienina, A., Bardhi, M.: Effective low-cost hybrid LED-halogen solar simulator. *IEEE Trans. Ind. Appl.* **50**(5), 3055–3064 (2014)
2. Mohan, A., Pavithran, J., Osten, K.L., Jinumon, A., Mrinalinim C.P.: LED based solar simulator. Student Application Papers Applying Industry Standards approved by IEEE Standards Education Committee (2014)
3. Namin, A., Jivacate, C., Chenvidhya, D., Kirtikara, K., Thongpron, J.: Construction of tungsten halogen, pulsed LED, and combined tungsten halogen-LED solar simulators for solar cell—characterization and electrical parameters determination. *Int. J. Photoenergy*, **2012**, 1–9 (2012)
4. Shatat, M., Riffat, S., Agyenim, F.: Experimental testing method for solar light simulator with an attached evacuated solar collector. *Int. J. Energy Environ.* **4**(2), 219–230 (2013)
5. Sidopekso, S., Nasbey, H., Wibowo, H.: I-V measurement using simple sun simulator. *Elite Elektro Sci. J.* **2**(2), 79–82 (2011). Indonesian language
6. Wang, W., Laumert, B.: Simulate a ‘Sun’ for Solar Research: A Literature Review of Solar Simulator Technology. Internal report, Royal Institute of Technology, Stockholm (2014)