Kuinam J. Kim Hyuncheol Kim Nakhoon Baek *Editors*

IT Convergence and Security 2017

Volume 1



Lecture Notes in Electrical Engineering

Volume 449

Board of Series editors

Leopoldo Angrisani, Napoli, Italy Marco Arteaga, Coyoacán, México Samarjit Chakraborty, München, Germany Jiming Chen, Hangzhou, P.R. China Tan Kay Chen, Singapore, Singapore Rüdiger Dillmann, Karlsruhe, Germany Haibin Duan, Beijing, China Gianluigi Ferrari, Parma, Italy Manuel Ferre, Madrid, Spain Sandra Hirche, München, Germany Faryar Jabbari, Irvine, USA Janusz Kacprzyk, Warsaw, Poland Alaa Khamis, New Cairo City, Egypt Torsten Kroeger, Stanford, USA Tan Cher Ming, Singapore, Singapore Wolfgang Minker, Ulm, Germany Pradeep Misra, Dayton, USA Sebastian Möller, Berlin, Germany Subhas Mukhopadyay, Palmerston, New Zealand Cun-Zheng Ning, Tempe, USA Toyoaki Nishida, Sakyo-ku, Japan Bijaya Ketan Panigrahi, New Delhi, India Federica Pascucci, Roma, Italy Tariq Samad, Minneapolis, USA Gan Woon Seng, Nanyang Avenue, Singapore Germano Veiga, Porto, Portugal Haitao Wu, Beijing, China Junjie James Zhang, Charlotte, USA

About this Series

"Lecture Notes in Electrical Engineering (LNEE)" is a book series which reports the latest research and developments in Electrical Engineering, namely:

- Communication, Networks, and Information Theory
- Computer Engineering
- Signal, Image, Speech and Information Processing
- Circuits and Systems
- Bioengineering

LNEE publishes authored monographs and contributed volumes which present cutting edge research information as well as new perspectives on classical fields, while maintaining Springer's high standards of academic excellence. Also considered for publication are lecture materials, proceedings, and other related materials of exceptionally high quality and interest. The subject matter should be original and timely, reporting the latest research and developments in all areas of electrical engineering.

The audience for the books in LNEE consists of advanced level students, researchers, and industry professionals working at the forefront of their fields. Much like Springer's other Lecture Notes series, LNEE will be distributed through Springer's print and electronic publishing channels.

More information about this series at http://www.springer.com/series/7818

Kuinam J. Kim · Hyuncheol Kim Nakhoon Baek Editors

IT Convergence and Security 2017

Volume 1



Editors
Kuinam J. Kim
iCatse, B-3001, Intellige 2
Kyonggi University
Seongnam-si, Kyonggi-do
Korea (Republic of)

Hyuncheol Kim Computer Science Namseoul University Cheonan, Chungcheongnam-do Korea (Republic of) Nakhoon Baek School of Computer Science and Engineering Kyungpook National University Daegu Korea (Republic of)

ISSN 1876-1100 ISSN 1876-1119 (electronic) Lecture Notes in Electrical Engineering ISBN 978-981-10-6450-0 ISBN 978-981-10-6451-7 (eBook) DOI 10.1007/978-981-10-6451-7

Library of Congress Control Number: 2017951408

© Springer Nature Singapore Pte Ltd. 2018

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature
The registered company is Springer Nature Singapore Pte Ltd.
The registered company address is: 152 Beach Road, #21-01/04 Gateway East, Singapore 189721, Singapore

Preface

This LNEE volume contains the papers presented at the iCatse International Conference on IT Convergence and Security (ICITCS 2017) which was held in Seoul, South Korea, during September 25 to 28, 2017.

The conferences received over 200 paper submissions from various countries. After a rigorous peer-reviewed process, 69 full-length articles were accepted for presentation at the conference. This corresponds to an acceptance rate that was very low and is intended for maintaining the high standards of the conference proceedings.

ICITCS2017 will provide an excellent international conference for sharing knowledge and results in IT Convergence and Security. The aim of the conference is to provide a platform to the researchers and practitioners from both academia and industry to meet the share cutting-edge development in the field.

The primary goal of the conference is to exchange, share and distribute the latest research and theories from our international community. The conference will be held every year to make it an ideal platform for people to share views and experiences in IT Convergence and Security-related fields.

On behalf of the Organizing Committee, we would like to thank Springer for publishing the proceedings of ICITCS2017. We also would like to express our gratitude to the 'Program Committee and Reviewers' for providing extra help in the review process. The quality of a refereed volume depends mainly on the expertise and dedication of the reviewers. We are indebted to the Program Committee members for their guidance and coordination in organizing the review process and to the authors for contributing their research results to the conference.

Our sincere thanks go to the Institute of Creative Advanced Technology, Engineering and Science for designing the conference Web page and also spending countless days in preparing the final program in time for printing. We would also vi Preface

like to thank our organization committee for their hard work in sorting our manuscripts from our authors.

We look forward to seeing all of you next year's conference.

Kuinam J. Kim Nakhoon Baek Hyuncheol Kim Editors of ICITCS2017

Organizing Committee

General Chairs

Hyung Woo Park KISTI, Republic of Korea

Nikolai Joukov New York University and modelizeIT Inc, USA Nakhoon Baek Kyungpook National University, Republic

of Korea

HyeunCheol Kim NamSeoul University, Republic of Korea

Steering Committee

Nikolai Joukov New York University and modelizeIT Inc, USA

Borko Furht Florida Atlantic University, USA
Bezalel Gavish Southern Methodist University, USA
Kin Fun Li University of Victoria, Canada

Kuinam J. Kim Kyonggi University, Republic of Korea Naruemon King Mongkut's University of Technology

Wattanapongsakorn Thonburi, Thailand

Xiaoxia Huang University of Science and Technology Beijing,

China

Dato' Ahmad Mujahid National Defence University of Malaysia,

Ahmad Zaidi Malaysia

Program Chair

Kuinam J. Kim Kyonggi University, Republic of Korea

Publicity Chairs

Miroslav Bureš Czech Technical University, Czech Republic
Dan (Dong-Seong) Kim
Sanggyoon Oh
BPU Holdings Corp, Republic of Korea
Viaoxia Huang
University of Science and Technology Beijing,

China

Financial Chair

Dongshin University, Republic of Korea

Publication Chairs

Minki Noh KISTI, Republic of Korea Hongseok Jeon ETRI, Republic of Korea

Organizers and Supporters

Institute of Creative Advanced Technologies, Science and Engineering

Korea Industrial Security Forum

Korean Convergence Security Association

University of Utah, Department of Biomedical Informatics, USA

River Publishers, Netherlands

Czech Technical University, Czech Republic

Chonnam National University, Republic of Korea

University of Science and Technology Beijing, China

King Mongkut's University of Technology Thonburi, Thailand

ETRI, Republic of Korea

KISTI, Republic of Korea

Kyungpook National University, Republic of Korea

Seoul Metropolitan Government

Program Committee

Bhagyashree S R ATME College of Engineering, Mysore,

Karnataka, India

Richard Chbeir Université Pau & Pays Adour (UPPA), France

Nandan Mishra Cognizant Technology Solutions, USA

Reza Malekian Sharmistha Chatterjee Shimpei Matsumoto Sharifah Md Yasin C. Christober Asir Rajan Chin-Chen Chang Danilo Pelusi Necmi Taspinar Alvaro Suarez

Josep Domingo-Ferrer

Yaxin Bi Jie Zhang

Wail Mardini

Miroslav N. Velev

Johann M. Marquez-Barja

Nicholas Race Gaurav Sharma Yanling Wei

Mohd Fairuz Iskandar

Othman

Harikumar Rajaguru

Chittaranjan Pradhan Frank Werner

Suranga Hettiarachchi Sa'adah Hassan Frantisek Capkovic

Oscar Mortagua Pereira Filippo Gaudenzi Virgilio Cruz Machado

Pao-Ann Hsiung M. Iqbal Saripan Lorenz Pascal

Helmi Zulhaidi Mohd Shafri

Harekrishna Misra

Nuno Miguel Castanheira

Almeida Bandit Suksawat Jitender Grover

Kwangjin Park Ahmad Kamran Malik University of Pretoria, South Africa Florida Atlantic University, USA

Hiroshima Institute of Technology, Japan University Putra Malaysia, Malaysia Pondicherry Engineering College, India

Feng Chia University, Taiwan University of Teramo, Italy

Erciyes University, Kayseri, Turkey University of Las Palmas de G.C., Spain

Jordan University, Jordan

Universitat Rovira i Virgili, Spain Ulster University at Jordanstown, UK

Newcastle University, UK Aries Design Automation, USA

CONNECT Research Centre, Trinity College

Dublin, Ireland

Lancaster University, UK

Université libre de Bruxelles, Belgium Technical University of Berlin, Germany Universiti Teknikal Malaysia Melaka (UTeM), Malaysia

Bannari Amman Institute of Technology, Sathyamangalam, India

KIIT University, India

Otto-von-Guericke University Magdeburg, Germany

Indiana University Southeast, USA

Universiti Putra, Malaysia

Institute of Informatics, Slovak Academy

of Sciences, Slovakia

University of Aveiro, Portugal

Università degli Studi di Milano, Italy Universidade Nova de Lisboa-UNIDEMI,

Portugal

National Chung Cheng University, Taiwan Universiti Putra Malaysia, Malaysia University of Haute Alsace, France Universiti Putra Malaysia, Malaysia

Institute of Rural Management Anand, India

Polytechnic of Leiria, Portugal

King Mongkut's University, Thailand

IIIT Hyderabad, India

Wonkwang University, Korea

COMSATS Institute of IT, Pakistan

Shitala Prasad NTU Singapore, Singapore The University of Tokyo, Japan Hao Han

Al Musanna College of Technology, Oman Anooj P.K.

Chonbuk National University, Korea Hyo Jong Lee

University of Salerno, Italy D'Arco Paolo

Suresh Subramoniam CET School of Management, India

Abdolhossein Sarrafzadeh United Institute of Technology, New Zealand

Stelvio Cimato University of Milan, Italy Ivan Mezei University of Novi Sad, Serbia

Telenor, Norway Terje Jensen

Selma Regina Martins Federal Fluminense University, Brazil

Oliveira Firdous Kausar M. Shamim Kaiser

Maria Leonilde Rocha Varela

University of Minho, Portugal

COMSATS Institute of Information Technology, Nadeem Javaid

Imam Ibm Saud University, Saudi Arabia

Jahangirnagar University, Bangladesh

Pakistan

Urmila Shrawankar RTM Nagpur University, India Kookmin University, Korea Yongjin Yeom Olivier Blazy Université de Limoges, France

Bikram Das NIT Agartala, India

Edelberto Franco Silva Universidade Federal de Juiz de Fora, Brazil

Hofstra University, USA Wing Kwong Dae-Kyoo Kim Oakland University, USA

Nickolas S. Sapidis University of Western Macedonia, Greece

Eric J. Addeo DeVry University, USA

T. Ramayah Universiti Sains Malaysia, Malaysia Norwegian University, Norway Yiliu Liu Swansea University, UK Shang-Ming Zhou

Anastasios Doulamis National Technical University, Greece

Baojun Ma Beijing University, China

Fatemeh Almasi Ecole Centrale de Nantes, France

Mohamad Afendee Mohamed Universiti Sultan Zainal Abidin, Malaysia

Jun Peng University of Texas, USA

Nestor Michael C. Tiglao University of the Philippines Diliman,

Philippines

Mohd Faizal Abdollah University Technical Malaysia Melaka, Malaysia

Alessandro Bianchi University of Bari, Italy Reza Barkhi Virginia Tech, USA

Mohammad Osman Tokhi London South Bank University, UK Prabhat K. Mahanti University of New Brunswick, Canada Chia-Chu Chiang University of Arkansas at Little Rock, USA

Tan Syh Yuan Multimedia University, Malaysia Southern Illinois University, USA Qiang (Shawn) Cheng

University of Science and Technology, Korea Michal Choras

Schahram Dustdar

Ya Bin Dang

El-Sayed M. El-Alfy
Abdelmajid Khelil

King Fahd University, Saudi Arabia
Landshut University, Germany

James Braman The Community College of Baltimore County,

USA

Rajesh Bodade Defence College of Telecommunication

Engineering, India

Nasser-Eddine Rikli King Saud University, Saudi Arabia Zeyar Aung Khalifa University, United Arab Emirates

> TU Wien, Austria IBM Research, China

Marco Aiello University of Groningen, Netherlands Chau Yuen Singapore University, Singapore Yoshinobu Tamura Tokyo City University, Japan Nor Asilah Wati Abdul Universiti Putra Malaysia, Malaysia

Hamid

Pavel Loskot Swansea University, UK
Rika Ampuh Hadiguna Andalas University, Indonesia
Hui-Ching Hsieh Hsing Wu University, Taiwan
Javid Taheri Karlstad University, Sweden
Fu-Chien Kao Da-Yeh University, Taiwan

Siana Halim Petra Christian University, Indonesia
Goi Bok Min Universiti Tunku Abdul Rahman, Malaysia

Shamim H Ripon East West University, USA
Munir Majdalawieh George Mason University, USA
Hyunsung Kim Kyungil University, Korea
Ahmed A. Abdelwahab Qassim University, Saudi Arabia
Vana Kalogeraki Athens University, Greece
Joan Ballantine Ulster University, UK

Jianbin Qiu Harbin Institute of Technology, China Mohammed Awadh Ahmed Infrastructure University Kuala Lumpur,

Ben Mubarak Malaysia

Mehmet Celenk

Shakeel Ahmed

Sherali Zeadally

University, Of Kentucky, USA

University of Kentucky, USA

Sherali Zeadally University of Kentucky, USA
Seung Yeob Nam Yeungnam University, Korea
Tarig Mohamed Hassan University of Khartoum, Sudan

Vishwas Ruamurthy
Ankit Chaudhary
Mohammad Faiz Liew
Visvesvaraya Technological University, India
Northwest Missouri State University, USA
University Tun Hussein Onn, Malaysia

Abdullah

Francesco Lo Presti University of Rome Tor Vergata, Italy

Muhammad Usman National University of Sciences and Technology

(NUST), Pakistan

Kurt Kurt Tutschku Blekinge Institute of Technology, Sweden

Ivan Ganchev University of Limerick, Ireland/University of Plovdiv "Paisii Hilendarski"

Mohammad M. Banat Jordan University, Jordan Ecole normale supérieure, France David Naccache

Rangsit University, Thailand Kittisak Jermsittiparsert Pierluigi Siano University of Salerno, Italy

Hiroaki Kikuchi Meiji University, Japan

Ireneusz Czarnowski Gdynia Maritime University, Poland Lingfeng Wang University of Wisconsin-Milwaukee, USA

Somlak Wannarumon Naresuan University, Thailand

Kielarova Chang Wu Yu Chung Hua University, Taiwan Kennedy Njenga University of Johannesburg, Republic of South Africa

Soongsil University, Korea Kok-Seng Wong Ray C.C. Cheung City University of Hong Kong, China Stephanie Teufel University of Fribourg, Switzerland Nader F. Mir San Jose State University, California

Beihang University, China Zongyang Zhang

Alexandar Djordjevich City University of Hong Kong, China National Defense University of Malaysia, Chew Sue Ping

Malaysia

University of Central Punjab, Pakistan Saeed Iqbal Khattak Chuangyin Dang City University of Hong Kong, China

FIM, University of Modena and Reggio Emilia,

Italy

Qin Xin University of the Faroe Islands, Faroe Islands,

Denmark

Andreas Dewald ERNW Research GmbH, Germany

Rubing Huang Jiangsu University, China

Sangseo Parko

Mainguenaud Michel Insitut National des sciences Appliquées Rouen,

France

Selma Regina Martins Universidade Federal Fluminense, Brazil

Enrique Romero-Cadaval

Oliveira

Riccardo Martoglia

University of Extremadura, Spain Noraini Che Pa Universiti Putra Malaysia (UPM), Malaysia

Minghai Jiao Northeastern University, USA

National Taipei University of Business, Taiwan Ruay-Shiung Chang

Afizan Azman Multimedia University, Malaysia Yusmadi Yah Jusoh Universiti Putra Malaysia, Malaysia Daniel B.-W. Chen Monash University, Australia Wuxu Peng Texas State University, USA

Noridayu Manshor Universiti Putra Malaysia, Malaysia

Alberto Núñez Covarrubias Universidad Complutense de Madrid, Spain

Lim Tong Ming

Yuhuan Du

Stephen Flowerday University of Fort Hare, Republic of South Africa

Anton Setzer Swansea University, UK
Jinlei Jiang Tsinghua University, China
Lorna Uden Staffordshire University, UK

Wei-Ming Lin University of Texas at San Antonio, USA Lutfiye Durak-Ata Istanbul Technical University, Turkey

Srinivas Sethi IGIT Sarang, India

Edward Chlebus Illinois Institute of Technology, USA

Siti Rahayu Selamat Universiti Teknikal Malaysia Melaka, Malaysia

Nur Izura Udzir Universiti Putra Malaysia, Malaysia

Jinhong Kim Seoil University, Korea

Michel Toulouse Vietnamese-German University, Vietnam Vicente Traver Salcedo Universitat Politècnica de València, Spain Hardeep Singh Ferozepur College of Engg & Technology

(FCET) India, India

Jiqiang Lu Institute for Infocomm Research, Singapore

Juntae Kim Dongguk University, Korea

Kuo-Hui Yeh National Dong Hwa University, China Ljiljana Trajkovic Simon Fraser University, Canada

Kouichi Sakurai Kyushu Univ., Japan

Jay Kishigami Muroran Institute of Technology, Japan

Dachuan Huang Snap Inc., USA

Ankit Mundra Department of IT, School of Computing and IT,

Manipal University Jaipur, India

Hanumanthappa J. University of Mysore, India

Muhammad Zafrul Hasan Texas A&M International University, USA Christian Prehofer An-Institut der Technischen Universitaet

Muenchen, Germany Sunway University, Malaysia

Software Engineer, Dropbox, San Francisco,

USA

Subrata Acharya Towson University, USA

Warusia Yassin Universiti Teknikal Malaysia Melaka, Malaysia

Fevzi Belli Univ. Paderborn, Germany

Contents

Wachine Learning and Deep Learning	
Image-Based Content Retrieval via Class-Based Histogram Comparisons	3
Smart Content Recognition from Images Using a Mixture of Convolutional Neural Networks	11
Failure Part Mining Using an Association Rules Mining by FP-Growth and Apriori Algorithms: Case of ATM Maintenance in Thailand Nachirat Rachburee, Jedsada Arunrerk, and Wattana Punlumjeak	19
Improving Classification of Imbalanced Student Dataset Using Ensemble Method of Voting, Bagging, and Adaboost with Under-Sampling Technique Wattana Punlumjeak, Sitti Rugtanom, Samatachai Jantarat, and Nachirat Rachburee	27
Reduction of Overfitting in Diabetes Prediction Using Deep Learning Neural Network	35
An Improved SVM-T-RFE Based on Intensity-Dependent Normalization for Feature Selection in Gene Expression of Big-Data Chayoung Kim and Hye-young Kim	44

xvi Contents

Vehicle Counting System Based on Vehicle Type Classification Using Deep Learning Method	52
Metadata Discovery of Heterogeneous Biomedical Datasets Using Token-Based Features Jingran Wen, Ramkiran Gouripeddi, and Julio C. Facelli	60
Heavy Rainfall Forecasting Model Using Artificial Neural Network for Flood Prone Area	68
Communication and Signal Processing	
I-Vector Extraction Using Speaker Relevancy for Short Duration Speaker Recognition Woo Hyun Kang, Won Ik Cho, Se Young Jang, Hyeon Seung Lee, and Nam Soo Kim	79
A Recommended Replacement Algorithm for the Scalable Asynchronous Cache Consistency Scheme	88
Multiple Constraints Satisfaction-Based Reliable Localization for Mobile Underwater Sensor Networks	97
A Design of Kernel-Level Remote Memory Extension System	104
A Comparison of Model Validation Techniques for Audio-Visual Speech Recognition Thum Wei Seong, Mohd Zamri Ibrahim, Nurul Wahidah Binti Arshad, and D.J. Mulvaney	112
Multi-focus Image Fusion Based on Non-subsampled Shearlet Transform and Sparse Representation Weiguo Wan and Hyo Jong Lee	120
Implementation of Large-Scale Network Flow Collection System and Flow Analysis in KREONET	127

Contents xvii

Computer Vision and Applications				
A Novel BP Neural Network Based System for Face Detection Shuhui Cao, Zhihao Yu, Xiao Lin, Linhua Jiang, and Dongfang Zhao	137			
A Distributed CBIR System Based on Improved SURF on Apache Spark	147			
Fish Species Recognition Based on CNN Using Annotated Image Tsubasa Miyazono and Takeshi Saitoh	156			
Head Pose Estimation Using Convolutional Neural Network	164			
Towards Robust Face Sketch Synthesis with Style Transfer Algorithms	172			
Object Segmentation with Neural Network Combined GrabCut Yong-Gyun Choi and Sukho Lee				
From Voxels to Ellipsoids: Application to Pore Space Geometrical Modelling	184			
Investigation of Dimensionality Reduction in a Finger Vein Verification System	194			
Palm Vein Recognition Using Scale Invariant Feature Transform with RANSAC Mismatching Removal	202			
Speed Limit Traffic Sign Classification Using Multiple Features Matching	210			
Future Network Technology				
Big Streaming Data Sampling and Optimization	221			
Artificial Intelligence and Robotics				
Fuzzy Model for the Average Delay Time on a Road Ending with a Traffic Light	231			
ravit valura Julianiyan and ivalaci i calu /IVAIC/, CIII				

xviii Contents

Characteristics of Magnetorheological Fluids Applied to Prosthesis for Lower Limbs with Active Damping	239
Oscar Arteaga, Diego Camacho, Segundo M. Espín, Maria I. Erazo, Victor H. Andaluz, M. Mounir Bou-Ali, Joanes Berasategi, Alvaro Velasco, and Erick Mera	23)
Multi-Objective Shape Optimization in Generative Design: Art Deco Double Clip Brooch Jewelry Design Sunisa Sansri and Somlak Wannarumon Kielarova	248
Adaptation of the Bioloid Humanoid as an Auxiliary in the Treatment of Autistic Children. Luis Proaño, Vicente Morales, Danny Pérez, Víctor H. Andaluz, Fabián Baño, Ricardo Espín, Kelvin Pérez, Esteban Puma, Jimmy Sangolquiza, and Cesar A. Naranjo	256
Autonomous Assistance System for People with Amyotrophic Lateral Sclerosis	267
Coordinated Control of a Omnidirectional Double Mobile Manipulator Jessica S. Ortiz, María F. Molina, Víctor H. Andaluz, José Varela, and Vicente Morales	278
Heterogeneous Cooperation for Autonomous Navigation Between Terrestrial and Aerial Robots Jessica S. Ortiz, Cristhian F. Zapata, Alex D. Vega, Alex Santana G., and Víctor H. Andaluz	287
Linear Algebra Applied to Kinematic Control of Mobile Manipulators Víctor H. Andaluz, Edison R. Sásig, William D. Chicaiza, and Paola M. Velasco	297
Software Engineering and Knowledge Engineering	
Enterprise Requirements Management Knowledge Towards Digital Transformation Shuichiro Yamamoto	309
Qualitative Requirements Analysis Process in Organization Goal-Oriented Requirements Engineering (OGORE) for E-Commerce Development Fransiskus Adikara, Sandfreni, Ari Anggarani, and Ernawati	318
An Improvement of Unknown-Item Search for OPAC Using Ontology and Academic Information	325

Contents xix

Activities in Software Project Management Class: An Experience	
from Flipped Classrooms	333
Sakgasit Ramingwong and Lachana Ramingwong	
Solo Scrum in Bureaucratic Organization: A Case Study	
from Thailand	341
Lachana Ramingwong, Sakgasit Ramingwong, and Pensiri Kusalaporn	
Author Index	349



Certificate of Attendance

Presented to

Aryuanto Soetedjo

International Conference on IT Convergence and Security 2017

学为今 JROJ

Hyung Woo Park

Nikolai Joukov

Nikolai Joukov

Nakhoon Back

Nakhoon Baek

44

HyeunCheol Kim

General Chairs, ICITCS 2017 September 25th - 28th, 2017



Speed Limit Traffic Sign Classification Using Multiple Features Matching

Aryuanto Soetedjo^(⊠) and I. Komang Somawirata

Department of Electrical Engineering, National Institute of Technology (ITN) Malang, Malang, Indonesia aryuanto@gmail.com

Abstract. This paper presents the method to classify the speed limit traffic sign using multiple features, namely histogram of oriented gradient (HOG) and maximally stable extremal regions (MSER) features. The classification process is divided into the outer circular ring matching and the inner part matching. The HOG feature is employed to match the outer circular ring of the sign, while MSER feature is employed to extract the digit number in the inner part of the sign. Both features are extracted from the grayscale image. The algorithm detects the rotation angle of the sign by analyzing the blobs which is extracted using MSER. In the matching process, tested images are matched with the standard reference images by calculating the Euclidean distance. The experimental results show that the proposed method for matching the outer circular ring works properly to recognize the circular sign. Further, the digit number matching achieves the high classification rate of 93.67% for classifying the normal and rotated speed limit signs. The total execution time for classifying six types of speed limit sign is 10.75 ms.

Keywords: Speed limit traffic sign \cdot HOG \cdot MSER \cdot Template matching

1 Introduction

Traffic sign recognition based-on a machine vision is one of the extensive researches in the intelligent transportation system. The system detects and classifies the traffic sign for assisting the driver or employed as an integral part in the autonomous vehicle. The speed limit traffic sign is one of the traffic signs that should be obeyed by the driver to avoid an accident. An automatic system to recognize the speed limit traffic sign is an interesting topic such as addressed by [1–6].

Traffic sign recognition is usually divided into detection stage, where the location of sign is detected from an image, and the classification stage where the detected sign is classified to the reference. In the classification stage, template matching techniques [7–9] and machine learning techniques [1, 3–6, 10, 11] are commonly employed.

In [7], the traffic sign templates consist of the pictograms (black and white images) of traffic signs in the normal position and the rotated one. Instead of the black and white images, the color images were used as the templates [8]. In [7, 8], the correlation technique was employed in the matching process. In [9], the ring partitioned matching was employed to classify the red circular traffic sign. The matching was performed on

each ring with the different weights. To cope with the rotated images, the method employed the image histogram (fuzzy histogram) in the matching process.

The methods commonly used in the machine learning techniques are k-Nearest Neighbors algorithm (kNN), Support Vector Machine (SVM), and Artificial Neural Networks (ANN). In [1], the kNN was employed to classify the rectangle speed limit sign according to the size. Further the optical character recognition (OCR) technique was employed to read the speed number of the sign. The SVM classifier was employed in [3, 10] for classifying the traffic sign. In [3], the property curves of segmented digit number of speed limit sign was used to train the SVM classifier. The histogram of oriented gradient (HOG) was employed as the descriptor of the traffic sign image in the classification process which is performed using the SVM [10, 11]. They concluded that the HOG is an effective descriptor for classifying the traffic sign. In [5], the ANN was employed to recognize the number in the speed limit sign. The method first extracted the digit number of detected speed limit sign to generate the number in the binary image. Then the binary image was used by the ANN in the recognition process. Instead of using the binary image, the grayscale image was used as the input of the ANN [6].

The benefit of template matching technique compared to the machine learning technique is that no training process is required. However, to cope with all possible conditions of traffic signs, more traffic sign references are required as proposed by [7]. Our previous work in [9] overcome the rotation problems by employing the histogram of image which is calculated in each ring area. Since the method is used to classify the circular red sign where there are two colors in the image (red color on the outer part and blue or black color in the inner part), two color thresholding techniques are employed in the preprocessing stage.

In this paper we propose a novel technique to classify the speed limit sign using the multiple features, namely HOG and maximally stable extremal regions (MSER) features extracted from a grayscale image. The method first extracts the HOG feature in the outer border of image to match the circular ring. Then the MSERs are extracted in the inner part of image to obtain the binary image of the digit number of speed limit sign. The template matching is employed to match the number into the predefined one. To cope with the varying rotation problem, an affine transformation is applied in the binary image before the matching process. The main contributions of our work are: (a) it employs the grayscale image, thus there is no complex color conversion; (b) it employs the simple matching technique; (c) the method is rotation invariant.

The rest of paper is organized as follows. Section 2 presents our proposed system. Section 3 presents the experimental results. The conclusion is covered in Sect. 4.

2 Proposed System

2.1 System Overview

Flowchart of proposed system is illustrated in Fig. 1. It starts with the grayscale color conversion to convert RGB image into grayscale image. It is noted that the input image is the detected traffic sign bounded with the rectangle box. Then the HOG feature is extracted in the outer part of the image. Since the outer part of speed limit sign is a




Fig. 1. Flowchart of proposed system

circular ring, the HOG feature is rotation invariant. Thus, the HOG feature could be matched with only one reference circular ring. When it is matched, the next step is to match the digit number, otherwise the sign is classified as the non-speed limit sign.

To match the digit number, it performs the MSER extraction in the inner part of the grayscale image. It yields the connected component of each digit in binary image. Then the contour of each component is found. The ellipse fitting technique is adopted to find the orientation of the component. It is assumed that when the traffic sign rotates, all digits will rotate with the same orientation. Thus we could get the rotation angle from the orientation of the ellipse.

From the detected rotation angle of the sign, an affine transformation is adopted to rotate the number to the normal position (orientation of zero degree). Finally the template matching technique is employed to match the digit number to the predefined reference.

2.2 HOG Feature

The HOG represents the histogram of orientation of gradient in an image which is proposed by [12]. The descriptor is robust to illumination changes. However, it is rotation variant. In this work we adopt it to match the outer part of the speed limit sign (see Fig. 2(a)), where the circular ring exists. Thus, when the speed limit sign is rotated, the HOG feature of the outer part does not change.

To calculate HOG, the image is divided into cells as shown in Fig. 2(a). In this work, the image is resized into 128×128 pixels. The cell's size is 8×8 pixels, thus an image is divided into 16×16 cells. The HOG is calculated on the overlapped blocks, where a block consists of 16×16 pixels. An example of the HOG of the speed limit sign is illustrated in Fig. 2(b), where the orientation of gradient is drawn in the image. To match the HOG feature of the tested image with the reference one, the Euclidean distance method is adopted. Since only the outer part of the image is considered, any types of speed limit signs could be used as the reference. The tested image is classified as the circular sign when the distance is lower than a threshold.




Fig. 2. (a) Outer and inner parts of image; (b) HOG visualization

2.3 MSER Extraction

The MSER is a method proposed by [13] to find the regions which remain the same when the threshold is changed at several values. In the traffic sign recognition system, it is usually employed in the detection stage to find the region of candidate signs as proposed in [11]. They extract the MSER from a grayscale image to detect the traffic sign with the white background. Our method works in the similar approach but in the different way. In the sense that in our method the MSER is used to extract the digit number in the inner part of the speed limit sign for classifying the sign, not detecting the sign. The benefits of our proposed method are twofold. First it extracts the digit number effectively, due to the fact that the MSER is robust against the illumination

changes [11]. Second, since the area of image to be extracted is in a small area inside the traffic sign, the computation cost for extracting the MSER could be reduced.

2.4 Rotation Detection and Affine Transformation

To cope with the rotated sign, we propose to detect the rotation angle of the sign by analyzing the blobs (binary image) representing the digit number obtained by the MSER extraction. The examples of blobs are illustrated in Fig. 3, where the image in first column represents the speed limit sign in the normal position, while the images in second and third columns represent the speed limit sign in the rotated position.

To find the rotation angle of the sign, first we find the contour of blobs which represents the boundary of blob. Then the ellipse fitting technique is applied to the contour. The rotation angle of the sign is obtained from the angle of detected ellipse. As illustrated in Fig. 3, the detected ellipse is drawn with the blue color. In the case of speed limit 30 km/h, the ellipses extracted from the number "3" and "0" have the same orientation. The orientation of both ellipses represents the rotation angle of the sign. However, for the speed limit 70 km/h, the ellipses extracted from the number "7" does not represent the rotation angle of the sign. Fortunately, the speed limit signs used in this work have the number "0" in the last digit. Thus we may use the last digit or the rightmost blob to find the rotation angle.



Fig. 3. The blobs and rotation angle

Once the rotation angle is calculated, the next step is to find the affine transformation to transform the image into the normal position (no rotation). The affine transformation for rotation is expressed by

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} \cos \theta & \sin \theta & cx \times (1 - \cos \theta) - cy \times \sin \theta \\ -\sin \theta & \cos \theta & cx \times \sin \theta + cy \times (1 - \cos \theta) \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$
(1)

where x, y are the pixel coordinates in source image, x', y' are the pixel coordinates after transformation, cx, cy are the center coordinates of rotation, and θ is the rotation angle.

2.5 Template Matching

From the previous stages, the blobs of digit numbers are already in the normal position. Thus in the matching process, we only provide the standard templates of the numbers of the speed limit sign. The template size is the same as the size of inner area shown in

30 50 60 70 80 100

Fig. 4. Templates of digit numbers in the speed limit sign

Fig. 2(a), i.e. 80×80 pixels. The templates used in this work are illustrated in Fig. 4. To match the blob with the template, the Euclidean distance is adopted.

3 Experimental Results

The proposed system is tested on a PC, Intel Core i7 3.4 Ghz. The algorithm is implemented using the C++ languange and the OpenCV library [14] for handling the image processing tasks. The speed limit signs used in the experiments are the speed limit of 30, 50, 60, 70, 80, 100 km/h. The tested images are obtained from GTRSB dataset [15]. The tested images consist of six types of speed limit signs as mentioned before, where each type contains 20 images. To examine the rotation problems, we create the rotated versions of the tested images by rotating them by 10°, 15° in both clockwise and counter-clockwise directions. In addition, to verify the algorithm for matching the outer circular ring, we introduce 100 images contain the non circular signs. Therefore there are total 700 tested images used in the experiments.

The results of the circular ring matching using HOG distance are given in Table 1. From the table, the maximum distance of the speed limit sign is 0.1097, while the minimum distance of the non-speed limit sign is 0.1212. The result suggests us to classify the outer circular of the sign properly by setting the threshold value to 0.12. If the distance is below than this value, then it is classified as the speed limit sign. From the experiments, the execution time of the outer circular matching is 2.95 ms.

Speed limit sign	Minimum matching distance	Maximum matching distance
30 km/h	0.0514	0.1030
50 km/h	0.0589	0.1008
60 km/h	0.0551	0.1062
70 km/h	0.0557	0.1056
80 km/h	0.0570	0.1097
100 km/h	0.0562	0.1084
Non-speed limit sign	0.1212	0.1946

Table 1. Results of the outer circular matching

The results of the digit number matching are given in Table 2. The results show that the average classification rate of the sign in normal position (no rotation) is highest. When the signs are rotated by 15° or -15° , the classification rate decreases about 9%. It is worthy to note that even though the classification rate decreases, the proposed

algorithm provides a promising method to cope with the rotation problem. The method only requires six templates (and no learning process is required) to classify 600 speed limit signs with the higher classification rate of 93.67%. The performance of the method could be improved in the blob extraction and the template matching techniques, such as by employing the skeleton of digit number in the matching process. It will be addressed as the future work.

We also examine the execution time required during the digit number matching. It requires 46.78 ms to match an image with six reference images, or the matching time is about 7.8 ms for one reference image. Therefore combining with the outer circular matching, the computation time of our proposed classification method is 10.75 ms (2.95 + 7.8).

Speed limit sign	Classification rate				
	Rotation angle of speed limit sign				
	0°	10°	15°	-10°	-15°
30 km/h	100%	100%	90%	100%	85%
50 km/h	100%	100%	95%	90%	100%
60 km/h	100%	90%	90%	90%	90%
70 km/h	95%	100%	95%	80%	80%
80 km/h	100%	90%	80%	95%	85%
100 km/h	100%	95%	95%	100%	100%
Average	99.17%	95.83%	90.83%	92.5%	90.00%
Total average = 93.67%					

Table 2. Results of the digit number matching

4 Conclusion

The multiple features are extracted in the outer and inner parts of the speed limit sign for classifying the sign using the template matching technique. The proposed system first matches the outer part with a circular ring reference. Once it is matched, the digit number in the inner part are extracted and matched with the standard reference signs. The method offers an efficient way in the classification, in the sense that no training process is required. Further the number of sample images is very few. For classifying six types of the speed limit signs, only six reference images are required. The results show that the method achieves the high classification rate and the fast computation time. In future, some improvements of the method will be addressed to increase the performance. Further the method will be extended to cope with the other types of traffic signs.

Acknowledgements. This work is supported by the Research Grant 2017, Competence-based research scheme from Directorate General of Higher Education, Ministry of Research and Technology and Higher Education, Republic of Indonesia, No.: SP DIPA-042.06.1.401516/2017.

References

- Bilgin, E., Robila, S.: Road sign recognition system on Raspberry Pi. In: 2016 IEEE Long Island Systems, Applications and Technology Conference, New York, USA, pp. 1–5 (2016)
- Hoang, A.T., Koide, T., Yamamoto, M.: Real-time speed limit traffic sign detection system for robust automotive environments. IEIE Trans. Smart Process. Comput. 4(4), 237–250 (2015)
- 3. Biswas, R., Fleyeh, H., Mostakim, M.: Detection and classification of speed limit traffic signs. In: 2014 World Congress on Computer Applications and Information Systems (WCCAIS), Hammamet, Tunisia, pp. 1–6 (2014)
- Peemen, M., Mesman, B., Corporaal, H.: Speed sign detection and recognition by convolutional neural networks. In: 8th International Automotive Congress, Eindhoven, Netherland, pp. 162–170 (2011)
- Ali, F.H., Ismail, M.H.: Speed limit road sign detection and recognition system. Int. J. Comput. Appl. 131(2), 43–50 (2015)
- Kundu, S.K., Mackens, P.: Speed limit sign recognition using MSER and artificial neural networks. In: 2015 IEEE 18th International Conference on Intelligent Transportation Systems, Las Palmas, Spain, pp. 1849–1854 (2015)
- Malik, R., Khurshid, J., Ahmad, S.N.: Road sign detection and recognition using colour segmentation, shape analysis and template matching. In: 2007 International Conference on Machine Learning and Cybernetics, Hong Kong, pp. 3556–3560 (2007)
- 8. Laguna, R., Barrientos, R., Blazquez, L.F., Miguel, L.J.: Traffic sign recognition application based on image processing techniques. In: The 19th World Congress. The International Federation of Automatic Control, Cape Town, South Africa, pp. 104–109 (2014)
- Soetedjo, A., Yamada, K.: Traffic sign classification using ring-partitioned matching. IEICE Trans. Fundam. E88(A9), 2419–2426 (2005)
- Adam, A., Ioannidis, C.: Automatic road-sign detection and classification based on support vector machines and HOG descriptors. ISPRS Ann. Photogramm. Remote Sens. Spatial Inf. Sci. II 2(5), 1–7 (2014)
- 11. Greenhalgh, J., Mirmehdi, M.: Real-time detection and recognition of road traffic signs. IEEE Trans. Intell. Transp. Syst. **13**(4), 1498–1506 (2012)
- Dalal, N., Triggs, B.: Histograms of oriented gradients for human detection. In: 2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR 2005), San Diego, CA, USA, vol. 1, pp. 886–893 (2005)
- Matas, J.: Robust wide-baseline stereo from maximally stable extremal regions. Image Vis. Comput. 22(10), 761–767 (2004)
- 14. http://opencv.org/
- Stallkamp, J., Schlipsing, M., Salmen, J., Igel, C.: The German traffic sign recognition benchmark: a multi-class classification competition. In: The IEEE International Joint Conference on Neural Networks, San Jose, CA, USA, pp. 1453–1460 (2011)