

DAFTAR PUSTAKA

- [1] A. Yanziah, S. Soim, and M. M. Rose, “Analisis Jarak Jangkauan Lora Dengan Parameter Rssi Dan Packet Loss Pada Area Urban,” *J. Teknol. Technoscientia*, vol. 13, no. 1, pp. 27–34, 2020.
- [2] B. Fu and P. Ampadu, “On hamming product codes with type-II hybrid ARQ for on-chip interconnects,” *IEEE Trans. Circuits Syst. I Regul. Pap.*, vol. 56, no. 9, pp. 2042–2054, 2009, doi: 10.1109/TCSI.2009.2026679.
- [3] A. J. Poustie, K. J. Blow, A. E. Kelly, and R. J. Manning, “All-optical parity checker with bit-differential delay,” *Opt. Commun.*, vol. 162, no. 1, pp. 37–43, 1999, doi: 10.1016/S0030-4018(99)00070-X.
- [4] N. W. Bramantyo Wisnu, Widyawan, “ANALISIS KINERJA TEKNOLOGI LORA DALAM KOMUNIKASI JARAK JAUH BERBASIS ARDUINO,” pp. 3–5, 2017.
- [5] F. Muhajir, S. Efendi, and & Sutarman, “Deteksi Dan Koreksi Multi Bit Error Dengan Partition Hamming Code,” *J. Teknovasi*, vol. 03, no. 2, pp. 1–09, 2016.
- [6] C. E. Shannon, “A Mathematical Theory of Communication,” *Bell Syst. Tech. J.*, vol. 27, no. 4, pp. 623–656, 1948, doi: 10.1002/j.1538-7305.1948.tb00917.x.
- [7] D. Gangopadhyay and A. Reyhani-Masoleh, “Multiple-Bit Parity-Based Concurrent Fault Detection Architecture for Parallel CRC Computation,” *IEEE Trans. Comput.*, vol. 65, no. 7, pp. 2143–2157, 2016, doi: 10.1109/TC.2015.2479617.
- [8] Harianja, “Parity Generator dan Parity Checker,” pp. 1–8, 2015.
- [9] S. E. E. Drerup Ben C, “Fast Multiplier Bit-Product Matrix Reduction Using Bit-Ordering and Parity Generation,” *J. VLSI Signal Process.*, vol. 257, pp. 249–257, 1994.
- [10] C. D’Amours, “Parity bit selected spreading sequences: a block

- coding approach to spread spectrum,” *IEEE Commun. Lett.*, vol. 9, no. 1, pp. 16–18, 2005, doi: 10.1109/lcomm.2005.1375227.
- [11] K. T. Nim and S. Teknik, “Penggunaan Logika Even Parity pada Beberapa Error Correction Code Terutama pada Hamming Code.” pp. 0–5.
- [12] M. Duan, P. Wang, X. Liu, Y. Li, W. Chen, and A. Li, “Average bit error rate performance analysis of a low-density parity-check-coded orthogonal frequency-division multiplexing FSO system under Málaga distribution considering atmospheric attenuation and pointing errors,” *Appl. Opt.*, vol. 57, no. 19, p. 5505, 2018, doi: 10.1364/ao.57.005505.
- [13] Techopedia, “Even Parity,” pp. 3–8, 2018.
- [14] I. W. C. Winetra, N. W. Wisswani, and I. K. Suja, “Aplikasi Randomize Parity Bit Coding Steganography Untuk Meningkatkan Keamanan Penyembunyian Pesan Rahasia Pada File Digital Application of Randomize Parity Bit Coding Steganography,” vol. 17, no. 2, pp. 109–113, 2017.
- [15] M. A. Basith, “PENERAPAN SENSOR ULTRASONIK HC-SR04 PADA SISTEM PENGUKUR VOLUME PADA MOBIL TANGKI AIR BERSIH,” pp. 1–77, 2008.
- [16] I. E. Y. Munabbih M Ihaab, Widianto Eko Didik, Windarto Yudi Eko, “Rancang Bangun Sistem Pemantau Kualitas Udara Menggunakan Arduino Dan Lora Berbasis Jaringan Sensor Nirkabel,” no. 1, pp. 6–14, 2020.
- [17] Z. A. Tan *et al.*, “Analysis on LoRa RSSI in Urban, Suburban, and Rural Area for Handover Signal Strength-Based Algorithm.,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 705, no. 1, 2019, doi: 10.1088/1757-899X/705/1/012012.
- [18] A. R. Batong, P. Murdiyat, and A. H. Kurniawan, “Analisis Kelayakan LoRa Untuk Jaringan Komunikasi Sistem Monitoring Listrik Di Politeknik Negeri Samarinda,” *PoliGrid*, vol. 1, no. 2, p. 55, 2020, doi: 10.46964/poligrid.v1i2.602.

- [19] A. Ramadhani, A. Rusdinar, and A. Z. Fuadi, "Data Komunikasi Secara Real Time Menggunakan Long Range (LORA) Berbasis Internet of Things untuk Pembuatan Weather Station," *e-Proceeding Eng.*, vol. 8, no. 5, p. 4259, 2021.
- [20] M. D. Cookson and P. M. R. Stirk, "済無No Title No Title No Title," pp. 5–22, 2019.
- [21] G. Description, K. E. Y. P. Features, and O. Information, "Sx1276/77/78/79," no. March, 2015.